

800-840 Series Added Entries

800 Series added entry–personal name (R)

First indicator–Type of personal name entry element

- 0** Forename
- 1** Surname
- 3** Family name [Pre-*AACR2*]

Second indicator

Undefined

Subfields

Name portion of heading

- a** Personal name (NR)
- b** Numeration (NR)
- c** Titles and other words associated with the name (R)
- d** Dates associated with a name (NR)
- e** Relator term (R)
- k** Form subheading (R)
- q** Fuller form of name (NR)
- u** Affiliation (NR)
- 4** Relator code (R)

Title portion of heading

- f** Date of a work (NR)
- g** Miscellaneous information (NR)
- h** Medium [Not used]
- l** Language of a work (NR)
- m** Medium of performance for music *(1) (R)
- n** Number of part/section of a work (R)
- o** Arranged statement for music *(2) (NR)
- p** Name of part/section of a work (R)
- r** Key for music *(3) (NR)
- s** Version (NR)
- t** Title of a work (NR)
- v** Volume number/sequential designation (NR)

Control subfields

6 Linkage (NR)

Description/Instructions

Field 800 contains added entries for series entered under personal name. Series cataloged according to *AACR2* are rarely entered under personal name, and thus, this field is rarely used.

Display Constant

The word "**Series:**" may be generated on output preceding the information given in this field.

First indicator

For instructions on the use of the first indicator, see "Headings--General Information."

Subfields

For descriptions of subfields defined for this field, see "Name Headings--General Information."
For instructions on the use of subfield \$v, see field 490.

Related fields, etc.

Headings--General Information, 100, Series--General Information, 490

810 Series added entry--corporate name (R)

First indicator--Type of corporate name entry element

- 0 Inverted name [Pre-*AACR2*]
- 1 Jurisdiction name
- 2 Name in direct order

Second indicator

Undefined

Subfields

Name portion of heading

- a Corporate name or jurisdiction name as entry element (NR)
- b Subordinate unit (R)
- c Location of meeting (NR)

- d Date of meeting or treaty signing (R)
- e Relator term (R)
- k Form subheading (R)
- n Number of part/section/meeting (R)
- u Affiliation (NR)
- 4 Relator code (R)

Title portion of heading

- f Date of a work (NR)
- g Miscellaneous information (NR)
- h Medium [Not used]
- l Language of a work (NR)
- m Medium of performance for music *(4) (R)
- n Number of part/section of a work (R)
- o Arranged statement for music *(5) (NR)
- p Name of part/section of a work (R)
- r Key for music *(6) (NR)
- s Version (NR)
- t Title of a work (NR)
- v Volume number/sequential designation (NR)

Control subfields

- 6 Linkage (NR)

Description/Instructions

Field 810 contains added entries for series entered under corporate name.

Display Constant

The word "Series:" may be generated on output preceding the information given in this field.

First indicator

For instructions on the use of the first indicator, see "Headings--General Information."

Subfields

For serials, the most commonly used subfields are: \$a, \$b, \$t, \$v. For a description of subfields

defined for this field, see "Headings--General Information." For instructions on the use of subfield \$v, see field 490.

```
490 1# Department of the Treasury document
810 1# United States. $b Dept. of the Treasury. $t Department of the
      Treasury document.
```

```
490 1# House report
810 1# United States. $b Congress. $b House. $t Report.
```

```
490 1# State of New York legislative document
810 1# New York (State). $b Legislature. $t Legislative document.
```

```
490 1# Official records / United Nations Economic and Social Council
810 2# United Nations. $b Economic and Social Council. $t Official
      records.
```

```
490 1# Treaty series
810 1# Great Britain. $t Treaties, etc. (Treaty series)
```

Reminder: Per *MARC 21 Bibliographic*, initial articles occurring at the beginning of the title and/or part of a name/title added entry (i.e., 610, 710, 810) are omitted. (See also Headings--General Information, Editing instructions).

Related fields, etc.

Headings--General Information, 110, Series--General Information, 490

811 Series added entry--meeting name (R)

First indicator--Type of meeting name entry element

- 0** Inverted name [Pre-AACR2]
- 1** Jurisdiction name [Pre-AACR2]
- 2** Name in direct order

Second indicator

Undefined

Subfields

Name portion of heading

- a** Meeting name or jurisdiction name as entry element (NR)
- c** Location of meeting (NR)
- d** Date of meeting (NR)
- e** Subordinate unit (R)
- g** Miscellaneous information (NR) [Pre-AACR2]

k Form subheading (R)
q Name of meeting following jurisdiction name entry element (NR) [Pre-*AACR2*]
u Affiliation (NR)
4 Relator code (R)

Title portion of heading

f Date of a work (NR)
h Medium [Not used]
l Language of a work (NR)
p Name of part/section of a work (R)
n Number of part/section/meeting (R)
p Name of part/section of a work (R)
s Version (NR)
t Title of a work (NR)
v Volume number/sequential designation (NR)

Control subfield

6 Linkage (NR)

Description/Instructions

Field 811 contains added entries for series entered under a conference or meeting name. This field is rarely used with *AACR2*.

Display Constant

The word "**Series:**" may be generated on output preceding the information given in this field.

First indicator

For instructions on the use of the first indicator, see "Headings--General Information."

Subfields

For a description of subfields defined for this field, see "Headings--General Information." For instructions on the use of subfield \$v, see field 490.

```
490 1# Report series / Louisiana Cancer Conference  
811 2# Louisiana Cancer Conference. $t Report series.
```

```
490 1# Delaware symposia on language studies
```

811 2# Delaware Symposium on Language Studies. \$t Delaware symposia on
language studies.

Related fields, etc.

Headings--General Information, 111, Series--General Information, 490

830 Series added entry--uniform title (R)

First indicator

Undefined

Second indicator--Nonfiling characters

0-9

Subfields

- a** Uniform title (NR)
- d** Date of treaty signing (R)
- f** Date of a work (NR)
- g** Miscellaneous information (NR)
- h** Medium [Not used]
- k** Form subheading (R)
- l** Language of a work (NR)
- m** Medium of performance for music *(7) (R)
- n** Number of part/section of a work (R)
- o** Arranged statement for music *(8) (NR)
- p** Name of part/section of a work (R)
- r** Key for music *(9) (NR)
- s** Version (NR)
- t** Title of a work (NR) [Pre-AACR2]
- v** Volume number/sequential designation (NR)
- x** International Standard Serial Number (NR)
- 3** Materials specified (NR)
- 6** Linkage (NR)

Description/Instructions

Field 830 contains added entries for series entered under title or uniform title. For serials cataloged according to AACR2, this field is the most commonly used series added entry field.

CONSER standard record (CSR) cataloging practice:

- It is not required to search the Library of Congress/NACO Authority File (LC/NAF) for series authority records, or to create or update series authority records for a series statement being recorded in field 490 0#.
- A series statement (490 0#) is required when a formal series added entry (8XX) is not included in the bibliographic record.
- It is not required to record a series statement in field 490 or 5XX when a series added entry (8XX) is included in the bibliographic record even when the established form of the series heading differs from the series statement appearing on the item. Differing forms of the series statement that are significant should be included in a series authority record.

Display Constant

The word "**Series:**" may be generated on output preceding the information given in this field.

Second indicator

The second indicator specifies the number of nonfiling characters to be ignored for sorting purposes. Initial articles are omitted according to CONSER policy; therefore, the second indicator is always set to value "0."

Subfields

For serials, the most commonly used subfields are: \$3, \$a, \$v, \$x. For a description of other subfields defined for this field, see "Headings--General Information."

Prior to 2009, series for which the transcribed form and the traced form were different (Series traced differently), was transcribed in field 490/1 or 5XX and the traced form was in an 8XX field.) Examples where field 830 was paired with field 490/1 below are being retained to help catalogers interpret records coded before 2008 or for when they chose to transcribe the series statement in field 490/1 (Series traced) in addition to providing the series added entry in field 830.

\$a Uniform title.

Subfield \$a contains the title of the series or the uniform title heading when one has been established. When the uniform title heading contains a parenthetical qualifier, it is included in

subfield \$a.

```
490 1# Marktinformation / Bundesstelle für Aussenhandels information
      [Field is optional]
830 #0 Marktinformation.

490 1# Parliamentary paper / Parliament of Fiji
      [Field is optional]
830 #0 Parliamentary paper (Fiji. Parliament)

490 1# Statistik pertanian = $a Agricultural statistics
830 #0 Statistik pertanian.

490 1# $3 1978- : $a Archives & documents
      [Field is optional]
830 #0 Archives & documents (Institut national de la statistique et
      des études économiques (France))

490 1# Colección Arqueología y paleontología. Serie Arqueología
      aragonesa. Memorias
      [Field is optional]
830 #0 Colección Arqueología y paleontología.
830 #0 Colección Arqueología y paleontología. $p Serie Arqueología
      aragonesa.$p Memorias.
```

\$v Volume number/sequential designation.

Subfield \$v contains the volume or number of the series when the number is constant for all issues of the serial or when limited issues of the serial are issued in the series.

```
490 1# $3 <1982/83->: $a Agriculture handbook ; $v no. 305
      [Field is optional]
830 #0 Agriculture handbook (United States. Dept. of Agriculture) ; $v
      no. 305.

490 1# AFRP ; $v 110-1
      [Field is optional]
830 #0 Air Force recurring publication ; $v 110-1.
```

\$x International Standard Serial Number.

Subfield \$x contains the ISSN of a series. The ISSN is an agency-assigned data element. ISSNs are assigned to publications by national centers under the auspices of the ISSN Network.

In order to allow for accurate sorting of series access points and predictable validation of the access point and ISSN strings, append \$x (International Standard Serial Number) to the end of the field as the final subfield. Do not add any punctuation to \$x, except for the hyphen in the middle position of the ISSN.

```
490 1# JARE data reports, $x 0075-3343. $a Meteorology
```



```
[Field is optional]
830 #0 JARE data reports, $x 0075-3343.
830 #0 JARE data reports. $p Meteorology.
```

Note: This positioning of subfield \$x applies to 8XX fields only; follow conventional AACR2/MARC 21 practices for recording ISSNs in 490 fields, when applicable.

\$3 Materials specified.

Subfield \$3 contains the part of the described materials to which the field applies. Follow the volume numbering, chronological designation, publication date, etc., given in \$3 with a colon (:). If the volume numbering, chronological designation, publication date, etc., represents incomplete information designated by a hyphen (-), insert a single space between the hyphen and the colon for clarity in displays.

```
830 #0 $3 1980- : $a DHEW publication, $x 0090-0206.
```

PCC guidelines on adding \$w and \$x to the 8XX fields are available from:
<http://www.loc.gov/catdir/cps/punctuation.pdf>.

Related fields, etc.

Headings--General Information, 130, Series--General Information, 490

Endnotes

1 (Popup - Asterisk (*) after field name, value, code)

- * The asterisk appearing after a field name or a value or code name means the following:

LC does not use (in all cases).

LC will distribute if used in an authenticated record (in all cases).

LC will not authenticate the validity of the information provided (in all cases). The code is defined for use by other national libraries (e.g., [field 055](#)) (in some cases).

2 (Popup - Asterisk (*) after field name, value, code)

- * The asterisk appearing after a field name or a value or code name means the following:

LC does not use (in all cases).

LC will distribute if used in an authenticated record (in all cases).

LC will not authenticate the validity of the information provided (in all cases). The code is defined for use by other national libraries (e.g., [field 055](#)) (in some cases).

3 (Popup - Asterisk (*) after field name, value, code)

- * The asterisk appearing after a field name or a value or code name means the following:

LC does not use (in all cases).

LC will distribute if used in an authenticated record (in all cases).

LC will not authenticate the validity of the information provided (in all cases). The code is defined for use by other national libraries (e.g., [field 055](#)) (in some cases).

4 (Popup - Asterisk (*) after field name, value, code)

- * The asterisk appearing after a field name or a value or code name means the following:

LC does not use (in all cases).

LC will distribute if used in an authenticated record (in all cases).

LC will not authenticate the validity of the information provided (in all cases). The code is defined for use by other national libraries (e.g., [field 055](#)) (in some cases).

5 (Popup - Asterisk (*) after field name, value, code)

- * The asterisk appearing after a field name or a value or code name means the following:

LC does not use (in all cases).

LC will distribute if used in an authenticated record (in all cases).

LC will not authenticate the validity of the information provided (in all cases). The code is defined for use by other national libraries (e.g., [field 055](#)) (in some cases).

6 (Popup - Asterisk (*) after field name, value, code)

- * The asterisk appearing after a field name or a value or code name means the following:

LC does not use (in all cases).

LC will distribute if used in an authenticated record (in all cases).

LC will not authenticate the validity of the information provided (in all cases). The code is defined for use by other national libraries (e.g., [field 055](#)) (in some cases).

7 (Popup - Asterisk (*) after field name, value, code)

- * The asterisk appearing after a field name or a value or code name means the following:

LC does not use (in all cases).

LC will distribute if used in an authenticated record (in all cases).

LC will not authenticate the validity of the information provided (in all cases). The code is defined for use by other national libraries (e.g., [field 055](#)) (in some cases).

8 (Popup - Asterisk (*) after field name, value, code)

* The asterisk appearing after a field name or a value or code name means the following:

LC does not use (in all cases).

LC will distribute if used in an authenticated record (in all cases).

LC will not authenticate the validity of the information provided (in all cases). The code is defined for use by other national libraries (e.g., [field 055](#)) (in some cases).

9 (Popup - Asterisk (*) after field name, value, code)

* The asterisk appearing after a field name or a value or code name means the following:

LC does not use (in all cases).

LC will distribute if used in an authenticated record (in all cases).

LC will not authenticate the validity of the information provided (in all cases). The code is defined for use by other national libraries (e.g., [field 055](#)) (in some cases).