



Provider-Neutral E-Resource

MARC Record Guide: P-N/RDA version

September 30, 2024 revision

Program for Cooperative Cataloging

Washington, D.C.

2024

BIBCOmail@loc.gov

Introduction

The provider-neutral (P-N) model uses a single bibliographic record to describe multiple online manifestations of a resource, regardless of which publisher or aggregator is making the content available. The description should apply only to equivalent manifestations of the same expression, or to expressions which differ only in accessibility information; substantial (not just incidental) differences may indicate a different expression, which should be described in a separate record. The model is intended to encompass online resources that are simultaneously issued in physical format and online, online digital reproductions of physical format resources, and online born-digital resources.

The provider-neutral model was initially designed for use with AACR2, the descriptive standard approved for use by the Program for Cooperative Cataloging at the time, and was adopted for serials in 2003, for textual monographs in 2009, and for multiple formats in 2011. The original guidelines have been supplemented below with elements from RDA in order to assist in the creation of original RDA records and for deriving provider-neutral records from RDA-based physical format records. Note that only MARC fields specifically relevant to online resources are included in the guidelines.

RDA Provider-Neutral Metadata Application Profile (MAP) for Serials, Integrating Resources, and Monographs

Use these guidelines in conjunction with the [MARC 21 Format for Bibliographic Data](#), the [BIBCO Standard Record \(BSR\) RDA Metadata Application Profile](#), the [CONSER Standard Record \(CSR\) RDA Metadata Application Profile](#), and the appropriate modules of the [CONSER Cataloging Manual \(CCM\)](#), including Module 31 (Remote Access Electronic Serials), Module 33.18 (Electronic Newspapers), and Module 35 (Integrating Resources). The last document also serves as [BIBCO Participants' Manual](#) Appendix A. Accessibility information may be recorded in a provider-neutral record in some circumstances; see details below.

RDA Provider-Neutral Metadata Application Profile (MAP) for Streaming Media

This MAP may also be used for streaming media although extra caution should be exercised to ensure that different expressions are not inappropriately consolidated onto the same record. For example, a streaming video with translated subtitles and one without are considered different expressions and should not be brought together on the same provider-neutral record. Other pitfalls to watch out for include (but are not limited to) dubbing, colorizing, and deleted or restored scenes.

However, expressions which differ only in accessibility information may be consolidated on a provider-neutral record. Accessibility information including (but not limited to) captions, audio description, transcriptions, and sign language insets may be recorded in a provider-neutral record in some circumstances; see details below.

It is recommended that use of this MAP be made in conjunction with the [OLAC Best Practices for Cataloging DVD-Video and Blu-ray Discs](#).

Accessibility Content in Online Resources

Catalogers may describe accessibility features of an online resource in a provider-neutral record regardless of whether they appear on all versions of the resource described by the record. However, catalogers must first determine whether the accessibility features are part of the resource itself. Font customization and accessibility content generated on the fly by a platform should not be recorded in a provider-neutral record. Examples of platform features which should not be recorded include font scaling, image zooming, and on-the-fly speech-to-text or translation services. For instance, captions for the hearing impaired can be recorded, but the language of on-the-fly translation of captions should not. Only accessibility features that are part of the resource itself may be described in provider-neutral records. Libraries are free to record other features they wish to highlight in their local records.

Streaming Media

Streaming media may be rendered accessible through accessibility content, such as open or closed captioning, open or closed subtitles for the hearing impaired (SDH), transcripts of the soundtrack, and signed language.

Electronic Books

Electronic books may be rendered accessible through both accessibility content (such as image descriptions) as well as accessibility features or formatting (such as structural navigation, page break markers, table of contents, index) that make it possible for the content of an electronic text file to be consumed using screen readers and other accessible technologies.

Recording accessibility features from various providers on a single provider-neutral record involves consolidating multiple expressions into a single bibliographic record. This is a significant difference from the way that other elements are treated, which are based on the idea that a provider-neutral record represents one and only one expression. However, an exception to the latter practice is being made for accessibility content.

The rationale for exceptional treatment for recording accessibility information is based on the recognition that such information is very valuable to library users with disabilities, and yet many record sets supplied by vendors or services such as OCLC's Collection Manager may lack such details. The latter situation may be partly due to vendors not supplying such information, resulting in the selection of the "wrong" record by a particular service that lacks accessibility information, or the absence of accessibility information being recorded in vendor-supplied records. At the same time, many libraries cannot afford to touch each individual record that they receive in order to fill in accessibility information that may be missing.

Permitting accessibility information from multiple providers in provider-neutral records promotes cooperative maintenance of accessibility information while retaining the benefits of provider-neutral records in a shared database.

Recommendations for Best Use of Provider-Neutral Records in Libraries

Libraries may make policy decisions on whether to use single or multiple records for their e-resources in their own catalogs. They may use a single provider-neutral record that incorporates all specific provider and other local information on one record – or use multiple records, each with one specific provider/URL on it. Whatever decisions PCC member libraries make for their local catalogs, they still need to follow the provider-neutral guidelines when coding WorldCat records in OCLC as PCC records. Any e-resource records added to OCLC may be subject to being merged or having provider-specific information removed.

Characteristics of a Provider-Neutral E-Resource Record

The provider-neutral record is intended to be a base record in the shared bibliographic environment to which libraries can add provider-specific information locally. Only certain categories of provider-specific information are allowed in provider-neutral records. These include:

- Additional titles that are specific to the aggregator
- Field 588 “description based on” notes for born-digital resources
- Publisher and/or aggregator URLs that do not contain institution-specific components such as proxy server data (e.g., <https://science.sciencemag.org/content/by/year>, not <https://science-sciencemag-org.nuls.idm.oclc.org/content/by/year>). Multiple 856 fields may be added to each bibliographic record.
- For monographs, additional ISBNs or other identifiers.
- Accessibility information, if that is the only difference between manifestations represented by the provider-neutral record.

The following kinds of information should not be included in a provider-neutral record:

- Provider names are not given in edition statements, publication statements, distribution statements, manufacture statements, series statements, notes (except as provided for below), host item entries, or access points, nor are they added to authorized access points as qualifiers.
- Notes about access restrictions, file formats, file sizes, prices, subscription information, or system requirements specific to particular providers are not used, except as provided for below.
- Such information as individual database names, individual e-package names, or third party aggregators is omitted (except as provided for below).
- Field 533, which was used for descriptive data about a specific reproduction, is no longer included in the record except in the case of records for DLF Registry of Digital Masters, HathiTrust Digital Library, and other digital preservation projects.

These kinds of information are considered local information.

Some resources may have only a single provider at the time of cataloging, but may become available through other providers afterwards. Thus, it is important to keep the records as “neutral” as possible from the very outset of cataloging. The qualifier (Online) should not be added to any series access point to distinguish it from its original source format.

In exceptional cases, e.g., a reproduction of a rare book, essential local information may be given in the record in 5XX fields, as long as each 5XX field contains a subfield \$5, giving the institutional MARC 21 code for the institution adding the local information.

Explanation of Symbols Used in the Guidelines:

M (Mandatory); A (Mandatory if applicable); O (Optional); X (not used); N/A (not applicable)

Note that the “A” category (Mandatory if applicable) is not synonymous with RDA “Core if.” RDA pre-defines some elements as core and requires them for resource description “when applicable and readily ascertainable” (RDA 0.6.4); others are core only under certain conditions, usually when one or more RDA elements cannot be ascertained. Just as in the BIBCO Standard Record (BSR) RDA Metadata Application Profile, the provider-neutral MAP uses a combination of RDA Core, Core if, and PCC Core elements, applicable in different ways to different formats and types of issuance.

M (Mandatory); A (Mandatory if applicable); O (Optional); X (not used); N/A (not applicable)

MARC Element	MARC Label	RDA Element	Serials & Integrating Resources (IRs)	Monographs	Notes
Leader/06	Type of record	[MARC control field equivalent of the predominant Content type (6.9)]	M	M	Code for the most significant material type of the resource being cataloged. Leader/06 should correspond with RDA content type (MARC 336). See Term and Code List for RDA Content Types .
Leader/07	Bibliographic level	Mode of issuance (2.13/PCC core)	M	M	
006/00	Form of material	[MARC control field equivalent of additional Content types (6.9)]	A/O	A/O	Libraries cataloging in OCLC or other shared bibliographic databases must use MARC 21 control field 006/00 with the assigned value “m” when the MARC Leader/06 is set to any code other than “m”. Optionally, add an additional 006 field with the appropriate first byte value when the resource is an online reproduction of a manuscript. The code used will vary according to the type of reproduction (“t” for a reproduction of manuscript language material, “a” for notated music manuscript, and

M (Mandatory); A (Mandatory if applicable); O (Optional); X (not used); N/A (not applicable)

					“f” for manuscript cartographic materials).
007/00	Category of material	[some 007 positions equate to various RDA elements, such as media type and numerous carrier attributes found in chapter 3, e.g. 3.2]	M	M	Always supply Category of material “c” (Electronic resource) For material other than online books, textual serials, and notated music, use an additional 007 field for other characteristics not specified in the first 007 field (first byte “v” for videorecordings, “a” for maps, etc.). Code at least the first two bytes of each 007.
007/01	Specific material designation	[MARC control field equivalent of Carrier type (online resource)] 3.3	M	M	Use code “r” (this applies to the remote electronic 007 only)
008/23 008/29	Form of item	[MARC control field equivalent of Carrier type (online resource)] 3.3	M	M	Use code “o” in 008/23 for all formats except Cartographic and Visual materials. These two formats use byte 008/29 instead. All other bytes of the 008 should reflect the original manifestation.

M (Mandatory); A (Mandatory if applicable); O (Optional); X (not used); N/A (not applicable)

010	Library of Congress Control Number	N/A	A LC or CONSER partners IRs: CONSER catalogers: assign Field 010 if authenticating record. BIBCO catalogers: May add Field 010 if arrangements have been made with LC for a supply of LCCNs	A LC or LC/CIP partners only	Do not transfer or use any 010 fields in the online version that apply to the print version of the resource.
020	International Standard Book Number	Identifier for the manifestation (2.15/Core)	N/A (Serials) A (IRs). If the resource has an ISBN it is likely that this applies to the print version. If so place the ISBN in Field 776 \$z	M Record each e-version ISBN in a separate 020 \$a; record other ISBNs in 020 \$z (preferably in separate fields); copy the physical format ISBN to Field 776 \$z. If it is unclear which format the ISBN represents—as often occurs with simultaneously issued versions—use \$z for any ISBN in the e-version record.	
022	International Standard Serial Number	Identifier for the manifestation (2.15/Core)	A Record the e-version ISSN in \$a; record ISSN of the physical format in \$y if it already exists in the record (and in Field 776 \$x). If available, also record the ISSN-L in \$l and the source	N/A	Do not add \$l if the online record only has \$y.

M (Mandatory); A (Mandatory if applicable); O (Optional); X (not used); N/A (not applicable)

			of the ISSN in \$2.		
024	Other Standard Identifier	Identifier for the manifestation (2.15/Core)	A For standard identifiers other than ISSN: Record the e-version identifier in 024 \$a; record identifiers for the physical format and cancelled/invalid identifiers in 024 \$z (preferably in separate fields). When identifiers are from different source vocabularies, use separate 024 fields for each vocabulary.	A For standard identifiers other than ISBN: Record the e-version identifier in 024 \$a; record identifiers for the physical format and cancelled/invalid identifiers in 024 \$z (preferably in separate fields). When identifiers are from different source vocabularies, use separate 024 fields for each vocabulary.	Examples: ISMN (International Standard Music Number) Universal Product Code (UPC) International Article Number EAN ISTC (International Standard Text Code) ISRC (International Standard Recording Code) DOI (Digital Object Identifier)
028	Publisher number	Identifier for the manifestation (2.15)	N/A	A	Use if other identifier is appropriate Example: Music publisher/plate number
040	Cataloging source	N/A			
040 \$a	Original cataloging agency	N/A	M	M	Assign the MARC code for the original cataloging agency creating the e-resource record in \$a. Do not retain the MARC code from Field 040 \$a of the print/physical format source record.
040 \$b	Language of	N/A	M	M	Always specify that the

M (Mandatory); A (Mandatory if applicable); O (Optional); X (not used); N/A (not applicable)

	cataloging				language of cataloging is English. Use \$b eng
040 \$c	Transcribing agency	N/A	M	M	Assign the MARC code for the transcribing cataloging agency creating the e-resource record in \$c. Do not retain the MARC code from Field 040 \$c of the print/physical format source record.
040 \$e	Description conventions	N/A	M	M	Add two \$e codes: \$e rda and \$e pn. Placement of the \$e rda is directly after \$b, followed by \$e pn.
041 \$p	Language code of captions	N/A	O	O	Language code for accessibility content may be recorded even if the accessibility content is believed to pertain only to specific providers, if this is the only difference between versions represented by the PN record. Use \$3 to specify which provider each 041 statement applies to. Record only accessibility content specific to the resource; do not record language-specific codes for accessibility content generated on-the-fly by the platform.
041 \$q	Language code of accessible	N/A	O	O	Language code for accessibility content may be recorded even if

M (Mandatory); A (Mandatory if applicable); O (Optional); X (not used); N/A (not applicable)

	audio				the accessibility content is believed to pertain only to specific providers, if this is the only difference between versions represented by the PN record. Use \$3 to specify which provider each 041 statement applies to. Record only accessibility content specific to the resource; do not record language-specific codes for accessibility content generated on-the-fly by the platform.
041 \$r	Language code of accessible visual language (non-textual)	N/A	O	O	Language code for accessibility content may be recorded even if the accessibility content is believed to pertain only to specific providers, if this is the only difference between versions represented by the PN record. Use \$3 to specify which provider each 041 statement applies to. Record only accessibility content specific to the resource; do not record language-specific codes for accessibility content generated on-the-fly by the platform.

M (Mandatory); A (Mandatory if applicable); O (Optional); X (not used); N/A (not applicable)

<p>041 \$t</p>	<p>Language code of accompanying transcripts for audiovisual materials</p>	<p>N/A</p>	<p>O</p>	<p>O</p>	<p>Language code for accessibility content may be recorded even if the accessibility content is believed to pertain only to specific providers, if this is the only difference between versions represented by the PN record. Use \$3 to specify which provider each 041 statement applies to. Record only accessibility content specific to the resource; do not record language-specific codes for accessibility content generated on-the-fly by the platform.</p>
<p>042</p>	<p>Authentication code</p>	<p>N/A</p>	<p>A</p>	<p>A</p>	<p>Use “pcc” for records authenticated under PCC auspices (BIBCO/CONSER libraries only)</p>

M (Mandatory); A (Mandatory if applicable); O (Optional); X (not used); N/A (not applicable)

<p>050, etc.</p>	<p>Classification numbers</p>	<p>N/A</p>	<p>O</p> <p>Classification is strongly encouraged (especially for integrating resource (IRs))</p> <p>If adding Field 050/060 to a PCC record, set first indicator to 1 and second indicator to 4. If adding Field 050/060 to a non-PCC record, set first indicator to blank and second indicator to 4. CONSER libraries are instructed to assume that the resource is not in LC.</p>	<p>M if BIBCO (except Graphic materials, Moving image materials, Sound recordings, and Rare materials)</p> <p>O if non-BIBCO</p> <p>If using Field 050/060 in a PCC record, set first indicator to blank and second indicator to 4 (except LC and NLM).</p>	
<p>1XX/7XX</p>	<p>Main entries</p>	<p>Creator (19.2/Core)</p> <p>Other agent associated with a work (19.3/Core if)</p>	<p>A</p>	<p>A</p>	<p>If more than one, only the creator having principal responsibility named first in resources embodying the work or in reference sources is required; if principal responsibility is not indicated, only the first-named creator is required. The appropriate relationship designator (\$e) is mandatory for the first named creator and optional for other named access points.</p> <p>See PCC Relationship Designator guidelines</p>

M (Mandatory); A (Mandatory if applicable); O (Optional); X (not used); N/A (not applicable)

					After satisfying the RDA core requirement, catalogers may record additional authorized access points for creators and other agents (in 7XX fields) according to cataloger's judgment
245 \$a	Title	Title proper (2.3.2/Core)	M	M	Reminder: do not use \$h "general material designation;" see 336-338 instead
245 \$n	Number of part/section	Title proper (2.3.2/Core)	A	A	
245 \$p	Name of part/section	Title proper (2.3.2/Core)	A	A	
245 \$b	Remainder of title	Other title information (2.3.4/PCC core for monographs; not core for serials)	O (serials) Record other title information if it provides clarification or support to the title proper that might otherwise appear misleading without the other title information O (IRs) Monographic IR catalogers may wish to transcribe other title information on a consistent basis	A	

M (Mandatory); A (Mandatory if applicable); O (Optional); X (not used); N/A (not applicable)

<p>245 \$b</p>	<p>Remainder of title (Parallel titles)</p>	<p>Parallel title proper (2.3.3/PCC core)</p>	<p>A (serials) Recommend that all parallel titles for serials be recorded in Field(s) 246</p> <p>O (IRs) If cataloging IRs from a monographic perspective, it is optional to transcribe the parallel titles in Field 245 \$b</p>	<p>A</p>	
<p>245 \$c</p>	<p>Statement of responsibility, etc.</p>	<p>Statement of responsibility relating to Title proper (2.4.2/Core for monographs; not core for serials)</p>	<p>O/A Transcription is required only if usage is not recorded in the Name Authority Record. Usage of variant names appearing in a statement of responsibility on later issues may be recorded in Field 550 notes or in the 4XX field of authority records. IRs: Same</p>	<p>A Only the first recorded statement is required by RDA, but catalogers are encouraged to transcribe as many statements of responsibility that are possible and appropriate to aid in resource discovery, identification, and selection</p>	
<p>246</p>	<p>Varying form of title (Parallel titles)</p>	<p>Parallel title proper (2.3.3/PCC core)</p>	<p>A (Parallel titles) For parallel titles not recorded in Field 245 \$b, use indicators: 11 For parallel titles that have been recorded in Field 245</p>	<p>A (Parallel titles) Use indicators: 31</p>	

M (Mandatory); A (Mandatory if applicable); O (Optional); X (not used); N/A (not applicable)

			\$b, use indicators: 31		
246	Varying form of title (Variant titles)	Variant title (2.3.6)	O (cataloger's judgment for most)	O (cataloger's judgment for most)	Retain from source record, or record provider-specific title variants if deemed important, with or without an explanatory note, e.g., 246 1_ \$i Available from some providers with title: \$a <title> 246 1_ \$a <title>
246	Varying form of title (Later title proper)	Later title proper (2.3.8/PCC Core)	A (minor changes)	A (applies to multipart monographs)	Core element for LC/PCC unless applying the alternative when the changes are numerous.
247	Former title \$a, \$n, \$p	Earlier title proper (2.3.7.3/PCC Core)	A Use only for integrating resources and for serials for which all evidence of the earlier title is removed	N/A	Core element for LC/PCC unless applying the alternative when the changes are numerous.
250	Edition statement	Designation of edition (2.5.2/Core) Designation of a named revision of an edition (2.5.6/Core)	A	A	Record only edition statements originating from the original publisher/society; ignore statements that pertain to specific provider versions
256	Computer file characteristics	[see Extent, number of subunits at 300	X	X	

M (Mandatory); A (Mandatory if applicable); O (Optional); X (not used); N/A (not applicable)

		field below]			
264	Production, Publication, Distribution, Manufacture and Copyright Notice				<p>All online resources are considered published. The provider-neutral model (in contrast to RDA) specifies that if the e-resource being cataloged is an online reproduction of a tangible resource, usually the Production, Publication, Distribution, Manufacture and Copyright notice information will come from the original tangible source record.</p> <p>See Field 264 Guidelines for further information.</p> <p>Follow RDA and LC-PCC Policy Statements for providing distribution and manufacturing information.</p>
264 \$a Ind2=1	Place of publication	Place of publication (2.8.2/Core)	M	M	
264 \$b Ind2=1	Name of publisher	Publisher's name (2.8.4/Core)	M	M	
264 \$c Ind2=1	Date of publication	Date of publication (2.8.6/Core)	M	M	
264 \$c	Date of	Copyright date	O	O	

M (Mandatory); A (Mandatory if applicable); O (Optional); X (not used); N/A (not applicable)

Ind2=4	copyright notice	(2.11)			
300 \$a	Extent	Extent (3.4/Core for monographs and ceased serials) Number of subunits (3.4.1.7) File type (3.19.2) File size (3.19.4) Duration (7.22)	O Use “1 online resource” in \$a Subunits (if known) are required for ceased serials, e.g., 300 \$a 1 online resource (5 volumes) See RDA 3.4.1.10 and the corresponding LC-PCC Policy Statement for more information.	M Use “1 online resource” in \$a (add subunits and duration, if applicable, in parentheses). Example: 300 \$a 1 online resource (25 pages) Example: 300 \$a 1 online resource (1 audio file (30 min.)) Example: 300 \$a 1 online resource (1 score (32 pages) + 1 part (19 pages)) Example: 300 \$a 1 online resource (2 video files)	See LC-PCC PS 3.4 for more information.
300 \$b (Also see 347)	Other physical details	A variety of carrier attributes (3.6, 3.7, 3.8, 3.9, 3.11, 3.14, 3.15, 3.16, 3.17, 3.19.3) and content attributes (7.15, 7.18)	O	O May be included if applicable to online version; most likely applicable to Illustrative content (7.15) and Sound content (7.18) Example: 300 \$a 1 online resource (25 pages) : \$b illustrations Example: 300 \$a 1 online resource (1 video file (30 min.)) : \$b sound, color, with black and white sequences	

M (Mandatory); A (Mandatory if applicable); O (Optional); X (not used); N/A (not applicable)

				Example: 300 \$a 1 online resource (6 maps) : \$b color	
300 \$c	Dimensions	Dimension (3.5)	X	X	
336	Content type	Content type (6.9/Core)	M	M	The predominant Content type will correspond to MARC 21 Leader/06 (Record type) and is core. Additional content types may be given
337	Media type	Media type (3.2/PCC core)	M	M	
338	Carrier type	Carrier type (3.3/Core)	M	M	Use “online resource”
341	Accessibility Content	Accessibility content (7.14)	O	O	Accessibility information about a resource may be recorded even if the accessibility content is believed to pertain only to specific providers, if this is the only difference between versions represented by the PN record. Use \$3 to specify which provider each 341 statement applies to. Record only accessibility content specific to the resource; do not record accessibility features or audio-visual customization generated

M (Mandatory); A (Mandatory if applicable); O (Optional); X (not used); N/A (not applicable)

					on-the-fly by the platform.
347	Digital file characteristics	File type (3.19.2/Core) File size (3.19.4/Core)	O	O	Core for cartographic resources only. For other formats use RDA 3.19.1-3.19.8 as appropriate to the resource Caution: Catalogers following the Provider-Neutral model should exclude file size, as it may differ substantially from one iteration to another
362	Dates of Publication and/or Sequential Designation	(2.6.2/Core)	A If providers vary in the range of issues they offer online, give the beginning numbering or date of the print or other original format, if available. If using the print version, use 362 1 Print version began with...	N/A	
490 \$a	Series statement	Title proper of series (2.12.2/Core*) Title proper of subseries (2.12.10/Core*)	A *A series statement is only core in a serial record if an authorized access point for the series is not being made	A	Transcribe the form of the series only if it applies to all known iterations of the online resource. Do not use for package/provider series
490 \$x	International Standard Serial Number	ISSN of series (2.12.8/PCC core) ISSN of subseries	A	A	When the e-version is being used as the basis of the description and only one ISSN

M (Mandatory); A (Mandatory if applicable); O (Optional); X (not used); N/A (not applicable)

		(2.12.16/PCC core)			appears in the resource being described, record that ISSN in the 490 field. If both a print ISSN (p ISSN) and an electronic ISSN (e ISSN) appear in the resource being described, transcribe the e ISSN. When the physical format version record is being used as the basis of the description, use whatever ISSN appears on that record.
490 \$v	Volume/ sequential designation	Numbering within series (2.12.9/Core) Numbering within subseries (2.12.17/Core)	A	A	
500/550	General note/Issuing body note	Other agent associated with a work (19.3/Core if) Related work (25.1)	A	A	After satisfying the RDA core requirement, catalogers may provide additional authorized access points for entities according to cataloger's judgment. Do not use for online package/provider names.
506	Restrictions on access note	Restrictions on access (4.4)	O (for open access remote electronic resources)	O (for open access remote electronic resources)	Use for remote access electronic resources where the entire resource described by the record is available as open

M (Mandatory); A (Mandatory if applicable); O (Optional); X (not used); N/A (not applicable)

					<p>access. Use in addition to 856 field(s) with \$7 0 (zero) for the open access version(s). Use only a single, general 506 note in the format described below to indicate that open access versions of a resource are available.</p> <p>Use the following standardized text in \$3 and \$a and an appropriate term in \$f from the vocabulary specified in \$2 (See the Access Restriction Term Source Codes List). Example:</p> <p>506 0# \$3 Some versions: \$a Open access versions available from some providers \$f open access \$2 coarar</p> <p>Do not use 506 to indicate the access status of a specific provider version. This information may instead be indicated in the 856 field for that version using subfields \$7, \$1, and/or \$n.</p>
506 with \$5	Restrictions on access note	Restrictions on access (4.4)	A	A	Use only for records for DLF Registry of Digital Masters, HathiTrust Digital Library and

M (Mandatory); A (Mandatory if applicable); O (Optional); X (not used); N/A (not applicable)

					other digital preservation projects. Use with \$5
515	Numbering peculiarities	Complex or irregular numbering (2.17.5.4)	A Record as needed.	N/A	
516	Type of computer file or data note	File type (3.19.2) Nature of content (7.2)	O	O	Generally do not use
520	Summary, etc.	Summarization of content (7.10)	O	O PCC core for archival materials (see also DACS 3.1)	Recommended for other resource titles, when useful to support user tasks
530	Additional physical form available note	Related manifestation (27.1/unstructured description)	O	O	Generally do not use; prefer \$i in 776 field
532	Accessibility note	Accessibility content (7.14)	O	O	Accessibility information about a resource may be recorded even if the accessibility content is believed to pertain only to specific providers, if this is the only difference between versions represented by the PN record. Use \$3 to specify which provider each 532 statement applies to. Record only accessibility content specific to the resource; do not record accessibility features or audio-visual customization generated

M (Mandatory); A (Mandatory if applicable); O (Optional); X (not used); N/A (not applicable)

					on-the-fly by the platform.
533	Reproduction note	Related manifestation (27.1/structured description)	A	A	Use only for records for DLF Registry of Digital Masters, HathiTrust Digital Library, and other digital preservation projects. Use with \$5
534	Original version note	Related expression (26.1/structured description) Related manifestation (27.1/structured description)	X	X	
538	System details note	Equipment or system requirement (3.20) [Note: there is no “mode of access” in RDA, it is covered by Carrier type]	A	A	Use only for records for DLF Registry of Digital Masters, HathiTrust Digital Library and other digital preservation projects. Use with \$5
540	Terms governing use and reproduction note	Restriction on use (4.5)	O	O	Use 540 to indicate use and reproduction rights status only if the status is known to apply to all provider versions represented on the record or to all potential provider versions. Example: 540 ## \$a Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International \$f CC BY-NC-ND 4.0 \$2 cc \$u

M (Mandatory); A (Mandatory if applicable); O (Optional); X (not used); N/A (not applicable)

					https://creativecommons.org/licenses/by-nc-nd/4.0/ Do not use 540 to indicate the use and reproduction rights status of a specific provider version. This information may instead be indicated in the 856 field for that version using subfields \$r and/or \$t.
546	Language note	Language of content (7.12/PCC core)	A	A	
583	Action note	N/A	A	A	Use only for records for DLF Registry of Digital Masters, HathiTrust Digital Library and other digital preservation projects. Use with \$5
588	Source of description note Latest issue consulted note	Note on issue, part, or iteration used as the basis for identification of the resource (2.17.13) Title source (2.17.2.3/PCC core)	M Record “description based on” notes and the source of title proper notes as usual. Include the provider and the date viewed (provider can be omitted from LIC if it is the same as in the DBO). If considered useful, add the file format of the resource viewed. Examples: 588 ## \$a Description based	M If the description is based on a single online resource, combine in one note the source of description, source of title, the provider, and the date viewed. If considered useful, add the file format of the resource viewed Example: 588 ## \$a Description based on online resource; title from PDF title page (ACM, viewed May 26, 2011) If the description is based on	For both serials and monographs, if the description is based on a record for the physical format, use the following phrase without additional information: Description based on [physical format] version record Indicator values (“0”) meaning “Source of description” and (“1”) meaning “latest issue consulted” can be used to generate a display constant.

M (Mandatory); A (Mandatory if applicable); O (Optional); X (not used); N/A (not applicable)

			<p>on: Volume 1, Issue 1 (September 2012); title from journal home page (publisher's Web site, viewed May 16, 2012)</p> <p>588 ## \$a Description based on: Volume 16, issue 1 (2012); title from PDF article running title (Tandfonline.com Web site, viewed May 19, 2012)</p> <p>Note on IR treatment: For online IRs we recommend using the form: "Description based on contents viewed on [date]"</p>	<p>part of a multipart resource, combine in one note the part used, the source of description, source of title, the provider, and the date viewed. If considered useful add the file format of the resource viewed.</p> <p>Example: 588 ## \$a Description based on online resource; title from volume 2 PDF title page (ACM, viewed May 26, 2011).</p>	<p>Examples:</p> <p>588 ## \$a Description based on print version record</p> <p>588 ## \$a Description based on CD-ROM version record</p> <p>588 0# \$a Print version record.</p> <p>588 1# \$a Vol. 1, issue 4 (May 2016).</p>
700-751	Added entry fields	<p>Creator (19.2; core requirement covered by 1XX)</p> <p>Other agent associated with a work (19.3; core requirement covered by 1XX)</p> <p>Contributor (20.2/LC core for certain situations)</p> <p>Related work (25.1/authorized</p>	A	A	<p>Core for Creator (see 1XX); PCC core for Contributors in certain situations. Use of appropriate relationship designators is strongly encouraged. See PCC Relationship Designators in Bibliographic Records</p> <p>Use if applicable to all known iterations of the online resource. Do not use for package/provider names (records for DLF Registry of</p>

M (Mandatory); A (Mandatory if applicable); O (Optional); X (not used); N/A (not applicable)

		access point) Related expression (26.1/authorized access point)			Digital Masters, HathiTrust Digital Library and other digital preservation projects excepted. (Use with \$5)
773	Host item entry	Related manifestation (27.1) Related item (28.1)	X	X	
76X-78X	Linking entry fields	Related work (25.1) PCC core	A Record as needed (fields other than 776) When making reciprocal links for serials, do not link latest entry cataloging records to successive entry records and vice versa. When linking from a RDA record to a pre-RDA (e.g., AACR2) record, generally use the pre-RDA form of entry and access point as found in the related bibliographic record for constructing the linking entry field. Note: when OCLC creates online records for digital preservation projects (e.g. HathiTrust), they use the	A	

M (Mandatory); A (Mandatory if applicable); O (Optional); X (not used); N/A (not applicable)

			same entry convention (008/34) as the base print record.		
776	Additional physical form entry	Related manifestation (27.1/structured description/PCC core for reproductions)	A	A	<p>Required if the description is based on the record for another format; otherwise provide if readily available. Use Field 776 \$i rather than Field 530 to describe the type of resource recorded in Field 776. This form applies to resources that are either reproductions or are simultaneously issued in more than one format. Reciprocal 776 fields are recommended but not required.</p> <p>Examples are:</p> <p>776 \$i Print version:</p> <p>776 \$i Online version:</p> <p>776 \$i <other format> version:</p>
80X-83X	Series added entries	Related work (25.1)	A (If institutional policy is to use series)	A (If institutional policy is to use series)	Use the authorized form of the heading for the physical format when providing an added entry for a series that exists in physical format as well as online. For series that exist only online, use the authorized form of the online series. Do not use

M (Mandatory); A (Mandatory if applicable); O (Optional); X (not used); N/A (not applicable)

					<p>for package/provider series (records for DLF Registry of Digital Masters, HathiTrust Digital Library and other digital preservation projects excepted)</p> <p>Use the print ISSN rather than the online ISSN for series that exist in print as well as online. Append the \$x to the end of the field as the final subfield</p> <p>Example: 830 #0 \$a Proceedings of SPIE—the International Society for Optical Engineering; \$v v. 7719. \$x 0277-786X</p>
856	Electronic location and access	Uniform Resource Locator (4.6/LC core)	A (under certain conditions)	A (under certain conditions)	If there is a general (not institution-specific) URL, add it to \$u. Do not use \$z for information that is institution specific. If the domain name is not specific enough, \$3 may be used to record package/provider name.
856 \$7	Electronic location and access	Restrictions on access (4.4)	A (for open access remote electronic resources)	A (for open access remote electronic resources)	Use \$7 code “0” (zero) to indicate that the electronic resource associated with the URL in \$u is open access if this information is known and

M (Mandatory); A (Mandatory if applicable); O (Optional); X (not used); N/A (not applicable)

					<ul style="list-style-type: none">• The URL leads to the complete full text of the resource described by the record. OR <ul style="list-style-type: none">• The URL leads to the complete full text of a subpart of the resource that is clearly labeled in \$3. <p>Optionally, use subfields \$7, \$l, \$n, \$r, and/or \$t to record additional information on access restrictions or terms governing use and reproduction of the specific provider version associated with the URL in \$u.</p>
--	--	--	--	--	---