

Update Information
2018 Update Number 3

No 2018 Update Number 1 or Number 2 was issued.

<i>DCM</i>	<i>Title</i>	<i>Action/Change</i>
Z1	Name and Series Authority Records	024 – Other Standard Identifier. Added instructions for recording a URI in field 024. Replace.
Z1	Name and Series Authority Records	046 – Special Coded Dates. Revised instructions on subfields. Replace.
Z1	Name and Series Authority Records	053 – LC Classification Number. Revised to reflect changes in practice for “LC-verified” class numbers. Replace.
Z1	Name and Series Authority Records	065 – Other Classification Number. New.
Supplement to the MARC 21 Format for Authority Data	020 International Standard Book Number	Revised NACO instructions for \$q. Replace.
Supplement to the MARC 21 Format for Authority Data	034 Coded Cartographic Mathematical Data	Updated subfield information for NACO and LC Names/Series. Replace.
Supplement to the MARC 21 Format for Authority Data	043 Geographic Area Code	Updated subfield information for NACO. Revised policy for LC/Series to allow usage in geographic name authority records. Replace.
Supplement to the MARC 21 Format for Authority Data	046 Special Coded Dates	Updated subfield information for NACO and LC Names/Series. Replace.

Update Information
2018 Update Number 3

No 2018 Update Number 1 or Number 2 was issued.

<i>DCM</i>	<i>Title</i>	<i>Action/Change</i>
Supplement to the MARC 21 Format for Authority Data	050 Library of Congress Call Number	Updated subfield information for NACO. Replace.
Supplement to the MARC 21 Format for Authority Data	053 LC Classification Number	Revised policy for NACO to reflect changes in practice for “LC-verified” class numbers. Updated subfield information. Replace.
Supplement to the MARC 21 Format for Authority Data	055 Library and Archives Canada Call Number	Corrected name of field and revised policy for NACO to allow for usage by Canadian agencies. Replace.
Supplement to the MARC 21 Format for Authority Data	060 National Library of Medicine	Updated subfield information for NACO. Replace.
Supplement to the MARC 21 Format for Authority Data	065 Other Classification Number	Revised policy for NACO to provide instructions for class PS8000 for Canadian literature. Replace.
Supplement to the MARC 21 Format for Authority Data	070 National Agricultural Library Call Number	Updated subfield information for NACO. Replace.
Supplement to the MARC 21 Format for Authority Data	075 Type of Entity	Revised to include implementation decision for NACO and LC Names/Series. Replace.
Supplement to the MARC 21 Format for Authority Data	080 Universal Decimal Classification Number	Updated subfield information for NACO. Replace.
Supplement to the MARC 21 Format for Authority Data	087 Government Document Classification Number	Updated subfield information for NACO. Replace.

Update Information
2018 Update Number 3

No 2018 Update Number 1 or Number 2 was issued.

<i>DCM</i>	<i>Title</i>	<i>Action/Change</i>
Supplement to the MARC 21 Format for Authority Data	100 Heading – Personal Name	Revised NACO and LC Names/Series instructions for subfield \$h. Replace.
Supplement to the MARC 21 Format for Authority Data	110 Heading – Corporate Name	Revised NACO and LC Names/Series instructions for subfield \$h. Replace.
Supplement to the MARC 21 Format for Authority Data	111 Heading – Meeting Name	Revised NACO and LC Names/Series instructions for subfield \$h. Replace.
Supplement to the MARC 21 Format for Authority Data	130 Heading – Uniform Title	Revised NACO and LC Names/Series instructions for subfield \$h. Replace.
Supplement to the MARC 21 Format for Authority Data	147 Heading – Named Event	Added implementation decision for NACO and LC Names/Series. Replace.
Supplement to the MARC 21 Format for Authority Data	260 Complex See Reference – Subject	Added subfield \$0 and \$1 policy for SACO and LC Subjects. Replace.
Supplement to the MARC 21 Format for Authority Data	336 Content Type	Updated subfield information for NACO and LC Names/Series. Replace.
Supplement to the MARC 21 Format for Authority Data	348 Format of Notated Music	Added implementation decision for NACO and LC Names/Series. Replace.
Supplement to the MARC 21 Format for Authority Data	360 Complex See Also Reference – Subject	Added subfield \$0 and \$1 policy for SACO and LC Subjects. Replace.

Update Information
2018 Update Number 3

No 2018 Update Number 1 or Number 2 was issued.

<i>DCM</i>	<i>Title</i>	<i>Action/Change</i>
Supplement to the MARC 21 Format for Authority Data	368 Other Attributes of Person or Corporate Body	Updated subfield information for NACO and LC Names/Series. Replace.
Supplement to the MARC 21 Format for Authority Data	370 Associated Place	Updated subfield information for NACO and LC Names/Series. Replace.
Supplement to the MARC 21 Format for Authority Data	372 Field of Activity	Updated subfield information for NACO and LC Names/Series. Replace.
Supplement to the MARC 21 Format for Authority Data	373 Associated Group	Updated subfield information for NACO and LC Names/Series. Replace.
Supplement to the MARC 21 Format for Authority Data	374 Occupation	Updated subfield information for NACO and LC Names/Series. Replace.
Supplement to the MARC 21 Format for Authority Data	376 Family Information	Updated subfield information for NACO and LC Names/Series. Replace.
Supplement to the MARC 21 Format for Authority Data	377 Associated Language	Updated subfield information for NACO and LC Names/Series. Replace.
Supplement to the MARC 21 Format for Authority Data	380 Form of Work	Updated subfield information for NACO and LC Names/Series. Replace.
Supplement to the MARC 21 Format for Authority Data	381 Other Distinguishing Characteristic of Work or Expression	Updated subfield information for NACO and LC Names/Series. Replace.

Update Information
2018 Update Number 3

No 2018 Update Number 1 or Number 2 was issued.

<i>DCM</i>	<i>Title</i>	<i>Action/Change</i>
Supplement to the MARC 21 Format for Authority Data	382 Medium of Performance	Updated subfield information for NACO and LC Names/Series. Replace.
Supplement to the MARC 21 Format for Authority Data	385 Audience Characteristics	Updated subfield information for NACO and LC Names/Series. Replace.
Supplement to the MARC 21 Format for Authority Data	386 Creator/Contributor Characteristics	Updated subfield information for NACO and LC Names/Series. Replace.
Supplement to the MARC 21 Format for Authority Data	388 Time Period of Creation	Revised to include implementation decisions. Replace.
Supplement to the MARC 21 Format for Authority Data	400 See From Tracing – Personal Name	Revised NACO and LC Names/Series instructions for subfield \$h. Replace.
Supplement to the MARC 21 Format for Authority Data	410 See From Tracing – Corporate Name	Revised NACO and LC Names/Series instructions for subfield \$h. Replace.
Supplement to the MARC 21 Format for Authority Data	411 See From Tracing – Meeting Name	Updated subfield information for NACO and LC Names/Series. Replace.
Supplement to the MARC 21 Format for Authority Data	430 See From Tracing – Uniform Title	Revised NACO and LC Names/Series instructions for subfield \$h. Replace.
Supplement to the MARC 21 Format for Authority Data	447 See From Tracing – Named Event	Added implementation decision for NACO and LC Names/Series. Replace.

Update Information
2018 Update Number 3

No 2018 Update Number 1 or Number 2 was issued.

<i>DCM</i>	<i>Title</i>	<i>Action/Change</i>
Supplement to the MARC 21 Format for Authority Data	451 See From Tracing – Geographic Name	Revised NACO and LC Names/Series to indicate that subfield \$g is not used. Replace.
Supplement to the MARC 21 Format for Authority Data	500 See Also From Tracing – Personal Name	Updated subfield information. Replace.
Supplement to the MARC 21 Format for Authority Data	510 See Also From Tracing – Corporate Name	Updated subfield information. Replace.
Supplement to the MARC 21 Format for Authority Data	511 See Also From Tracing – Meeting Name	Updated subfield information. Replace.
Supplement to the MARC 21 Format for Authority Data	530 See Also From Tracing – Uniform Title	Updated subfield information. Replace.
Supplement to the MARC 21 Format for Authority Data	547 See Also From Tracing – Named Event	Added implementation decision for NACO and LC Names/Series. Replace.
Supplement to the MARC 21 Format for Authority Data	550 See Also From Tracing – Topical Term	Added subfield \$1 policy for SACO and LC Subjects. Replace.
Supplement to the MARC 21 Format for Authority Data	551 See Also From Tracing – Geographic Name	Updated subfield information. Replace.
Supplement to the MARC 21 Format for Authority Data	555 See Also From Tracing – Genre/Form Term	Added subfield \$1 policy for SACO and LC Subjects. Replace.

Update Information
2018 Update Number 3

No 2018 Update Number 1 or Number 2 was issued.

<i>DCM</i>	<i>Title</i>	<i>Action/Change</i>
Supplement to the MARC 21 Format for Authority Data	562 See Also From Tracing – Medium of Performance Term	Added subfield \$1 policy for SACO and LC Subjects. Replace.
Supplement to the MARC 21 Format for Authority Data	580 See Also From Tracing – General Subdivision	Updated subfield information for SACO and LC Subjects. Replace.
Supplement to the MARC 21 Format for Authority Data	581 See Also From Tracing – Geographic Subdivision	Updated subfield information for SACO and LC Subjects. Replace.
Supplement to the MARC 21 Format for Authority Data	582 See Also From Tracing – Chronological Subdivision	Updated subfield information for SACO and LC Subjects. Replace.
Supplement to the MARC 21 Format for Authority Data	585 See Also From Tracing – Form Subdivision	Updated subfield information for SACO and LC Subjects. Replace.
Supplement to the MARC 21 Format for Authority Data	670 Source Data Found	Subfield \$w instruction added. Replace.
Supplement to the MARC 21 Format for Authority Data	672 Title Related to the Entity	Subfield \$1 instruction added for NACO and LC Names/Series. Replace.
Supplement to the MARC 21 Format for Authority Data	673 Title Not Related to the Entity	Subfield \$1 instruction added for NACO and LC Names/Series. Replace.
Supplement to the MARC 21 Format for Authority Data	677 Definition	Added implementation decision for NACO and LC Names/Series. Replace.

Update Information
2018 Update Number 3

No 2018 Update Number 1 or Number 2 was issued.

<i>DCM</i>	<i>Title</i>	<i>Action/Change</i>
Supplement to the MARC 21 Format for Authority Data	700 Established Heading Linking Entry – Personal Name	Updated subfield information for NACO. Replace.
Supplement to the MARC 21 Format for Authority Data	710 Established Heading Linking Entry – Corporate Name	Updated subfield information for NACO. Replace.
Supplement to the MARC 21 Format for Authority Data	711 Established Heading Linking Entry – Meeting Name	Updated subfield information for NACO. Replace.
Supplement to the MARC 21 Format for Authority Data	730 Established Heading Linking Entry – Uniform Title	Updated subfield information for NACO. Replace.
Supplement to the MARC 21 Format for Authority Data	747 Established Heading Linking Entry – Named Event	Revised to include implementation decision for NACO and LC Names/Series. Replace.
Supplement to the MARC 21 Format for Authority Data	751 Established Heading Linking Entry – Geographic Name	Updated subfield information for NACO. Replace.
Supplement to the MARC 21 Format for Authority Data	781 Established Heading Linking Entry – Geographic Subdivision	Updated subfield information. Replace.
Supplement to the MARC 21 Format for Authority Data	883 Machine-generated Metadata Provenance	Revised to indicate that the field is not used. Replace.
Supplement to the MARC 21 Format for Authority Data	884 Description Conversion Information	Revised to include implementation decisions. Replace.

Update Information
2018 Update Number 3

No 2018 Update Number 1 or Number 2 was issued.

<i>DCM</i>	<i>Title</i>	<i>Action/Change</i>
Supplement to the MARC 21 Format for Authority Data	885 Matching Information	Revised to indicate that the field is not used. Replace.

024 Other Standard Identifier

General

LC/PCC catalogers are encouraged to add standard identifiers in field 024.

Use first indicator value “7” and record the source of the identifier in subfield \$2 using the appropriate value from the *Standard Identifier Source Codes* (<https://www.loc.gov/standards/sourcelist/standard-identifier.html>).

Input the number in the structure as determined by the agency formulating it.

Example:

```
024 7# $a 8462832856536435 $2 isni
      (number may with spaces display as: 8462 8328 5653 6435)
```

If a corresponding URI for the identifier is readily available, record both in separate 024 fields. Always use \$2 uri in the 024 field with the URI.

Example:

```
024 7# $a Q42 $2 wikidata
024 7# $a http://www.wikidata.org/entity/Q42 $2 uri
024 7# $a 113230702 $2 viaf
024 7# $a http://viaf.org/viaf/113230702 $2 uri
100 1# $a Adams, Douglas, $d 1952-2001
```

Maintenance:

LC/PCC catalogers are not required to maintain identifiers coded in the 024 field of NACO authority records. When an 024 field is present in a personal name record that is being reported for deletion (for example, in the case of a duplicate), LC/PCC catalogers should transfer the field to the record that is to be retained. When two personal name authority records are being collapsed into one, and each record has a different 024 field, LC/PCC catalogers should include both 024 fields in the updated record.

046 Special Coded Dates*General*

Best practice: When encoding date information, give the fullest information about the date that is readily available (the date in **field** 046 may be more precise than a date used in the 100 subfield \$d). When revising existing authority records, record dates in **field** 046 even if the heading itself does not have dates in 100 subfield \$d, when the information is readily available.

When recording dates in field 046, use the Extended Date Time Format (EDTF) schema in all cases except for centuries; supply dates using the pattern yyyy, yyyy-mm, or yyyy-mm-dd. See date table in LC-PCC PS 9.3.1.3.

Examples:

```
046 ## $f 1884-10-11 $g 1962-11-07 $2 edtf
100 1# $a Roosevelt, Eleanor, $d 1884-1962
670 ## $a When you grow up to vote, 1932: $b t.p. (Eleanor Roosevelt
(Mrs. Franklin D. Roosevelt))
670 ## $a Wikipedia, viewed on July 21, 2010 $b (Eleanor Roosevelt;
Anna Eleanor Roosevelt; born Oct. 11, 1884 in New York City
in Manhattan; died Nov. 7, 1962)

046 ## $s -0199~ $2 edtf
100 0# $a Hellenicus $c (Grammarians), $d active approximately 200 B.C.
670 ## $a Brill's new Pauly, viewed on Aug. 2, 2011 $b (Hellenicus;
Alexandrian grammarian; ca. 200 BC)

046 ## $f 1946-06 $2 edtf
100 1# $a Vickers, Roy Henry, $d 1946-
670 ## $a Solstice, c1988: $b t.p. (Roy Henry Vickers) jkt. (native
Indian artist; b. June, 1946, Greenville, British Columbia)

046 ## $k 1981 $2 edtf
100 1# $a Allende, Isabel. $t Casa de los espíritus
670 ## $a Cox, Karen Castellucci. Isabel Allende, 2003: $b p. 4-5 (in
1981 Allende began writing a fictionalized version of stories
she had heard growing up, which was published in Spain in
1982)
```

When recording a century in the 046 field, use the first two digits of the hundred year span (e.g., use “16” to represent the 17th century, 1600–1699).

Example:

```
046 ## $s 17
100 1# $a Turner, Elizabeth, $d active 18th century
670 ## $a Cohen, A.I. Int'l encycl. of women composers, 2nd ed. $b
Turner, Elizabeth, 18th cent. English composer)
```

Note that the 1st century A.D. is represented by value “00” and B.C. centuries have a hyphen-minus before the digits (e.g., “-04” for the 5th century B.C.). An approximate century (e.g., active approximately 12th century) cannot be recorded in the 046 field.

Subfield \$2 – Source of date scheme

Always add subfield \$2 edtf except after a century.

Subfields \$q – Establishment date, \$r – Termination date, \$s – Start period, and \$t – End period

Until further notice do not use subfield \$q or \$r. Continue to use subfield \$s and subfield \$t for start and end periods for corporate bodies.

Before subfields \$q, \$r, \$s, and \$t can be used in authority records as defined in the current MARC 21 Authority Format, a programmatic change to the subfield coding of many existing name authority records must be made. Announcements will be made when the NACO nodes have implemented the new subfields and the legacy records have been changed.

For instructions on using \$s and \$t for start and end periods in fields 368, and 370-376, see the instructions provided in the 373 field.

Subfield \$u – Uniform Resource Identifier and Subfield \$v – Source of information

The following represents PCC practice on recording sources of information in \$u and \$v in fields where they are defined, and/or in field 670:

1. 670s must be used to support information used as part of a heading in 1XX and 4XX fields.
2. For fields 046, 368, 370-378, and 381:
 - a. use of \$v is optional if the same information/source is already cited in the 670
 - b. use \$v if the information/source is not cited in a 670
 - c. use of \$u is optional, and should always be preceded by \$v.

Use a 670 field if needed to justify information recorded in other fields for which subfields \$u and/or \$v are not defined or defined differently.

Subfield \$v – Source of information

Follow the same basic citation principles when recording data in subfield \$v (Source of information) of fields 046, 368, 370-378, and 381 that currently apply to field 670 subfield \$a (Source citation).

Supply specific citation information (page number, sub-page of website) in subfield \$v if, in the cataloger's judgment, this greater specificity is needed to find the information within the source cited.

If the information in fields 046, 368, 370-378, and 381 is in the same form as found in the source, there is no need to cite usage information. If the information recorded in those fields is in a different form from that in the source, use 670 \$b (Information found).

For tangible sources:

If the information was derived from a tangible source (e.g., a print book, removable digital media) subfield \$v should contain sufficient information for a cataloger to find the item cited in a catalog or bibliographic database. This can usually be limited to title proper and imprint or date. If that combination is not unique, the title citation may be preceded by the creator's name.

For online resources:

Provide information sufficient to find the resource via a search engine. Include either title and publication date (if it is a formally-published resource, such as an e-book) or a suitable description of the document and date accessed (for a less formal resource). Optionally include subfield \$u.

Example:

```
100 1# $a Lazzarini, Sérgio G.  
372 ## $a Industrial relations $2 lcsb $v Lazzarini, Sergio G. CV-  
English, viewed Feb. 22, 2012 $u  
http://www.sergiolazzarini.insper.edu.br/indexelazza.html  
670 ## $a Capitalismo de laços, 2011: $b t.p. (Sérgio G. Lazzarini)
```

053 LC Classification Number*General*

This field is used in NARs for persons to record classification numbers for individual literary authors. This field is also used in NARs for persons and corporate bodies to record biography numbers in span ML410-429.

Full information on the assignment of literary author numbers and their inclusion in NARs can be found in the Classification and Shelving Manual (CSM), instruction sheet F 632 (<http://www.loc.gov/aba/publications/FreeCSM/F632.pdf>).

Class PS8000 numbers should not be added in field 053. For the use of these numbers in NARs, see DCM Z1, 065 section. An NAR for a Canadian literary author may contain both field 053 and field 065.

PCC practice: NACO participants may use this field **only** in the following situation: to record LC classification numbers associated with personal name headings for authors who have written **literary** works, other than **juvenile literature**. They may input classification numbers found in completed bibliographic records in the LC OPAC or they may add **unverified classification numbers** (see *Verification of LC classification numbers for literary authors*).

LC practice: LC catalogers are strongly encouraged to add 053 fields to NARs for authors who have written literary works, other than juvenile literature. LC music catalogers and PSD may add 053 fields to NARs in the span ML410-429, individual biography covering individuals and performance groups.

Examples:

```
053 #0 $a PQ8098.1.L54
100 1# $a Allende, Isabel

053 #0 $a PG5039.21.U6 $c Czech
053 #0 $a PQ2671.U47 $c French
100 1# $a Kundera, Milan

053 #0 $a ML421.A17 $c Biography
110 2# $a 10,000 Maniacs (Musical group)
```

Verification of LC classification numbers for literary authors

Only “LC-verified” class numbers may have second indicator “0.” An LC class number for a literary author is considered “LC-verified” if it has been assigned in a completed LC bibliographic record before being added to the NAR. Completed bibliographic records may be identified by this MARC coding:

```
906 $a 7 $b cbc
```

053 fields with LC-verified class numbers should precede 053 fields with unverified 053 LC class numbers.

Example:

```
053 #0 $a PS3556.05372
053 #4 $a PS3556.0554 $5 [MARC institution code]
100 1# $a Fontenot, Scott Michael, $d 1968-
```

NACO catalogers:

- Search the LC-OPAC to determine whether the number has been assigned in a completed LC bibliographic record.
- If the literary author number is verified, use second indicator “0”:

```
053 #0 $a PS3568.0243
```

- If the number is not LC-verified, an unverified 053 may be added using second indicator “4” with the MARC institution code in subfield \$5:

```
053 #4 $a [number] $5 [MARC institution code]
```

LC catalogers:

- If a NAR contains an 053 field with unverified LC call number is appropriate to use for the resource being cataloged, change the 053 field second indicator to “0” and remove \$5 to make the number “LC-verified.”
- If a NAR contains an 053 field with an unverified LC call number and it is not appropriate to use that number for the resource being cataloged, retain the existing 053 field and add a new 053 field with the LC-verified number.

065 Other Classification Number*General*

The 065 field may be used by Canadian agencies in consultation with LC's Cooperative Programs Section for class PS8000 numbers. Other NACO participants should not supply, modify, or delete this field. Subfield \$2 with value "fcps" is used to indicate *Class PS8000 : a classification for Canadian literature* as the source of the number.

Example:

```
065 ## $a PS8576.U57 $2 fcps $5 [MARC institution code]
```

020 International Standard Book Number

NACO:

NACO participants may supply the 020 field in series authority records for multipart items at their own discretion. There are no further guidelines for the field.

Do not use subfields:

\$6, \$8

SACO:

Do not use this field.

LC:

NAMES/SERIES:

Do not use this field.

LC does not maintain this field.

SUBJECTS:

Do not use this field.

034 Coded Cartographic Mathematical Data

NACO:

NACO participants may supply the 034 field in authority records for geographic name headings (151) only at their own discretion.

Consult LC's Cooperative Programs Section before using subfield \$0 or \$1.

Do not use subfields:

\$6, \$8

SACO:

Consult the LC Policy and Standards Division before use.

LC:

NAMES/SERIES:

Use this field in name authority records for geographic name headings (151) only.

Consult LC's Policy and Standards Division before using subfield \$0 or \$1.

Do not use subfields:

\$6, \$8

SUBJECTS:

Consult the LC Policy and Standards Division before use.

043 Geographic Area Code

NACO:

NACO participants may supply the 043 field in authority records for geographic name headings (151) only at their own discretion.

Consult LC's Cooperative Programs Section before using subfield \$0 or \$1.

Do not use subfields:
\$6, \$8

SACO:

Do not use this field.

LC:

NAMES/SERIES:

Use this field in name authority records for geographic name headings (151) only.

Consult LC's Policy and Standards Division before using subfield \$0 or \$1.

Do not use subfields:
\$6, \$8

SUBJECTS:

Do not use this field.

046 Special Coded Dates

NACO:

046 may be supplied in name/series authority records in the LC/NACO Authority File.

Until further notice, do not use subfield \$q or \$r. Continue to use \$s for date of establishment and \$t for date of termination. Before subfields \$q, \$r, \$s, and \$t can be used in authority records as defined in the current MARC 21 Authority Format, a programmatic change to the subfield coding of many existing name authority records must be made. Announcements will be made when the NACO nodes have implemented the new subfields and the legacy records have been changed.

Do not use subfields:
\$6, \$8

SACO:

Contact LC's Policy and Standards Division (policy@loc.gov) before using field 046.

LC:

NAMES/SERIES:

046 may be supplied in name authority records in the LC/NACO Authority File.

Until further notice, do not use subfield \$q or \$r. Continue to use \$s for date of establishment and \$t for date of termination. Before subfields \$q, \$r, \$s, and \$t can be used in authority records as defined in the current MARC 21 Authority Format, a programmatic change to the subfield coding of many existing name authority records must be made. Announcements will be made when the NACO nodes have implemented the new subfields and the legacy records have been changed.

Do not use subfields:
\$6, \$8

SUBJECTS:

Contact the Policy and Standards Division (policy@loc.gov) before using field 046.

050 Library of Congress Call Number

NACO:

Use this field in series authority records only. Always use second indicator value 4.

Consult LC's Cooperative Programs Section before using subfield \$0 or \$1.

Do not use subfields:

\$6, \$8

SACO:

Do not use this field.

LC:

NAMES/SERIES:

As of June 1, 2006, LC does not create or update SARs.

Note: Field 050 may contain call numbers that do not follow the Library of Congress classification schedules, for example:

050 00 \$a LAW
050 00 \$a Microfilm 86/2592 (H)
050 00 \$a WMLC L 82/1234

SUBJECTS:

Do not use this field.

053 LC Classification Number

NACO:

NACO participants may use this field to record an LC classification number **for a literary author**.

Consult LC's Cooperative Programs Section before using **subfield \$0 or \$1**.

Do not use subfields:

\$6, \$8

SACO:

Always use second indicator value 0.

Do not use subfields:

\$0, \$1, \$5, \$6, \$8

LC:

NAMES/SERIES:

Always use second indicator value 0.

Consult LC's Policy and Standards Division before using subfield \$0 or \$1.

Do not use subfields:

\$5, \$6, \$8

SUBJECTS:

Do not use subfields:

\$0, \$1, \$5, \$6, \$8

Local Subfield Code

\$9 - Local field-level nonprint flag [*SUBJECT only*]

Use this field in subject authority records to record a single classification number or classification number span associated with a 1XX heading in an established heading record. Use local subfield \$9 to control the printing of the field in output products.

055 Library and Archives Canada Call Number

NACO:

This field may be supplied in series authority records by Canadian agencies in consultation with LC's Cooperative Programs Section. Other NACO participants should not supply, update, or delete this field.

Do not use subfields:
\$6, \$8

SACO:

Do not use this field.

LC:

NAMES/SERIES:

Do not use this field.

LC does not maintain this field.

SUBJECTS:

Do not use this field.

060 National Library of Medicine Call Number

NACO:

Consult LC's Cooperative Programs Section before using subfield \$0 or \$1.

Do not use subfields:
\$6, \$8

SACO:

Do not use this field.

LC:

NAMES/SERIES:

Do not use this field.

LC does not maintain this field.

SUBJECTS:

Do not use this field.

065 Other Classification Number

NACO:

This field may be supplied in a personal name heading only by Canadian agencies in consultation with LC's Cooperative Programs Section. Its use is limited to classification numbers in the PS8000 schedule for Canadian literature. Other NACO participants should not supply, update, or delete this field.

Do not use subfields:

\$6, \$8

SACO:

Do not use this field.

LC:

NAMES/SERIES:

Do not use this field; pass through as supplied.

LC does not maintain this field.

SUBJECTS:

Do not use this field.

070 National Agricultural Library Call Number

NACO:

Field 070 may be supplied only by the National Library of Agriculture in series authority records. Other NACO participants should not supply, update, or delete this field when found in series authority records.

Consult LC's Cooperative Programs Section before using subfield \$0 or \$1.

Do not use subfields:
\$6, \$8

SACO:

Do not use this field.

LC:

NAMES/SERIES:

Do not use this field.

LC does not maintain this field.

SUBJECTS:

Do not use this field.

075 Type of Entity

NACO:

Consult LC's Cooperative Programs Section before using field 075.

SACO:

Do not use this field. Implementation decision not yet made.

LC:

NAMES/SERIES:

Consult LC's Policy and Standards Division before using field 075.

SUBJECTS:

Do not use this field. Implementation decision not yet made.

080 Universal Decimal Classification Number

NACO:

NACO participants may supply the 080 field in series authority records for multipart items at their own discretion.

Consult LC's Cooperative Programs Section before using subfield \$0 or \$1.

Do not use subfields:
\$6, \$8

SACO:

Do not use this field.

LC:

NAMES/SERIES:

Do not use this field.

LC does not maintain this field.

SUBJECTS:

Do not use this field.

087 Government Document Classification Number

NACO:

NACO participants may supply field 087 in name/series authority records at their own discretion.

Consult LC's Cooperative Programs Section before using subfield \$0 or \$1.

Do not use subfields:

\$6, \$8

SACO:

Do not use this field.

LC:

NAMES/SERIES:

Do not use this field.

LC does not maintain this field.

SUBJECTS:

Do not use this field.

100 Heading – Personal Name

NACO:

Use first indicator value 3 in name and series authority records when creating RDA authorized access points for family names.

Consult LC's Cooperative Programs Section before using subfield \$h.

Do not use subfields:

\$e, \$j, \$v, \$x, \$y, \$z, \$6, \$8

SACO:

Do not use subfields:

\$e, \$g, \$h, \$j, \$6, \$8

LC:

NAMES/SERIES:

Use first indicator value 3 in name authority records when creating RDA authorized access points for family names.

Consult LC's Policy and Standards Division before using subfield \$h.

Do not use subfields:

\$e, \$j, \$v, \$x, \$y, \$z, \$6, \$8

SUBJECTS:

Do not use subfields:

\$e, \$g, \$h, \$j, \$6, \$8

110 Heading – Corporate Name

NACO:

Consult LC's Cooperative Programs Section before using subfield \$h.

Do not use subfields:

\$e, \$v, \$x, \$y, \$z, \$6, \$8

SACO:

Do not use subfields:

\$e, \$h, \$6, \$8

LC:

NAMES/SERIES:

Consult LC's Policy and Standards Division before using subfield \$h.

Do not use subfields:

\$e, \$v, \$x, \$y, \$z, \$6, \$8

SUBJECTS:

Do not use subfields:

\$e, \$h, \$6, \$8

111 Heading – Meeting Name

NACO:

Consult LC's Cooperative Programs Section before using subfield \$h.

Do not use subfields:

\$g, \$j, \$v, \$x, \$y, \$z, \$6, \$8

SACO:

Do not use subfields:

\$g, \$h, \$j, \$k, \$l, \$q, \$s, \$6, \$8

LC:

NAMES/SERIES:

Consult LC's Policy and Standards Division before using subfield \$h.

Do not use subfields:

\$g, \$j, \$v, \$x, \$y, \$z, \$6, \$8

SUBJECTS:

Do not use subfields:

\$g, \$h, \$j, \$k, \$l, \$q, \$s, \$6, \$8

130 Heading – Uniform Title

NACO:

Always use second indicator value 0. Omit an initial article that is not an integral part of the uniform title when formulating the entry element of the heading.

Consult LC's Cooperative Programs Section before using subfield \$h.

Do not use subfields:

\$g, \$v, \$x, \$y, \$z, \$6, \$8

SACO:

Always use second indicator value 0. Omit an initial article that is not an integral part of the uniform title when formulating the entry element of the heading.

Do not use subfields:

\$g, \$h, \$6, \$8

LC:

NAMES/SERIES:

Always use second indicator value 0. Omit an initial article that is not an integral part of the uniform title when formulating the entry element of the heading.

Consult LC's Policy and Standards Division before using subfield \$h.

Do not use subfields:

\$g, \$v, \$x, \$y, \$z, \$6, \$8

SUBJECTS:

Always use second indicator value 0. Omit an initial article that is not an integral part of the uniform title when formulating the entry element of the heading.

Do not use subfields:

\$g, \$h, \$6, \$8

147 Heading – Named Event

NACO:

| Do not use this field.

SACO:

Do not use this field.

LC:

NAMES/SERIES:

| Do not use this field.

SUBJECTS:

Do not use this field.

260 Complex See Reference – Subject

NACO:

| Do not use this field.

SACO:

| Do not use subfields:
\$0, \$1, \$6, \$8

LC:

NAMES/SERIES:

Do not use this field.

SUBJECTS:

| Do not use subfields:
\$0, \$1, \$6, \$8

336 Content Type

NACO:

Field 336 may be supplied in name/series authority records in the LC/NACO Authority File.

Consult LC's Cooperative Programs Section before using subfield \$0 or \$1.

Do not use subfields:

\$3, \$6, \$8

SACO:

Do not use this field.

LC:

NAMES/SERIES:

Field 336 may be supplied in name/series authority records in the LC/NACO Authority File.

Consult LC's Policy and Standards Division before using subfield \$0 or \$1.

Do not use subfields:

\$3, \$6, \$8

SUBJECTS:

Do not use this field.

348 Format of Notated Music

NACO:

Consult LC's Cooperative Programs Section before using field 348.

SACO:

Do not use this field.

LC:

NAMES/SERIES:

Consult LC's Policy and Standards Division before using field 348.

SUBJECTS:

Do not use this field.

360 Complex See Also Reference – Subject

NACO:

Do not use this field

SACO:

Do not use subfields:
\$0, \$1, \$6, \$8

LC:

NAMES/SERIES:

Do not use this field.

SUBJECTS:

Do not use subfields:
\$0, \$1, \$6, \$8

368 Other Attributes of Person or Corporate Body

NACO:

Field 368 may be supplied in name authority records in the LC/NACO Authority File.

Consult LC's Cooperative Programs Section before using subfield \$0 or \$1.

Do not use subfields:

\$6, \$8

SACO:

Do not use **this field**.

LC:

NAMES/SERIES:

Field 368 may be supplied in name authority records in the LC/NACO Authority File.

Consult LC's Policy and Standards Division before using subfield \$0 or \$1.

Do not use subfields:

\$6, \$8

SUBJECTS:

Do not use **this field**.

370 Associated Place

NACO:

Field 370 may be supplied in name/series authority records in the LC/NACO Authority File.

Consult LC's Cooperative Programs Section before using subfield \$0, \$1, \$3, \$4 or \$i.

Do not use subfields:
\$6, \$8

SACO:

Do not use this field.

LC:

NAMES/SERIES:

Field 370 may be supplied in name authority records in the LC/NACO Authority File.

Consult LC's Policy and Standards Division before using subfield \$0, \$1, \$3, \$4 or \$i.

Do not use subfields:
\$6, \$8

SUBJECTS:

Do not use this field.

372 Field of Activity

NACO:

Field 372 may be supplied in name authority records in the LC/NACO Authority File.

Consult LC's Cooperative Programs Section before using subfield \$0 or \$1.

Do not use subfields:

\$6, \$8

SACO:

Do not use **this field**.

LC:

NAMES/SERIES:

Field 372 may be supplied in name authority records in the LC/NACO Authority File.

Consult LC's Policy and Standards Division before using subfield \$0 or \$1.

Do not use subfields:

\$6, \$8

SUBJECTS:

Do not use **this field**.

373 Associated Group

NACO:

Field 373 may be supplied in name authority records in the LC/NACO Authority File.

Consult LC's Cooperative Programs Section before using subfield \$0 or \$1.

Do not use subfields:

\$6, \$8

SACO:

Do not use **this field**.

LC:

NAMES/SERIES:

Field 373 may be supplied in name authority records in the LC/NACO Authority File.

Consult LC's Policy and Standards Division before using subfield \$0 or \$1.

Do not use subfields:

\$6, \$8

SUBJECTS:

Do not use **this field**.

374 Occupation

NACO:

Field 374 may be supplied in name authority records in the LC/NACO Authority File.

Consult LC's Cooperative Programs Section before using subfield \$0 or \$1.

Do not use subfields:

\$6, \$8

SACO:

Do not use **this field**.

LC:

NAMES/SERIES:

Field 374 may be supplied in name authority records in the LC/NACO Authority File.

Consult LC's Policy and Standards Division before using subfield \$0 or \$1.

Do not use subfields:

\$6, \$8

SUBJECTS:

Do not use **this field**.

376 Family Information

NACO:

Field 376 may be supplied in name authority records in the LC/NACO Authority File.

Consult LC's Cooperative Programs Section before using subfield \$0 or \$1.

Do not use subfields:

\$6, \$8

SACO:

Do not use **this field**.

LC:

NAMES/SERIES:

Field 376 may be supplied in name authority records in the LC/NACO Authority File.

Consult LC's Policy and Standards Division before using subfield \$0 or \$1.

Do not use subfields:

\$6, \$8

SUBJECTS:

Do not use **this field**.

377 Associated Language

NACO:

Field 377 may be supplied in name/series authority records in the LC/NACO Authority File.

Consult LC's Cooperative Programs Section before using subfield \$0 or \$1.

Do not use subfields:

\$6, \$8

SACO:

Do not use this field.

LC:

NAMES/SERIES:

Field 377 may be supplied in name/series authority records in the LC/NACO Authority File.

Consult LC's Policy and Standards Division before using subfield \$0 or \$1.

Do not use subfields:

\$6, \$8

SUBJECTS:

Do not use this field.

380 Form of Work

NACO:

Field 380 may be supplied in name/series authority records in the LC/NACO Authority File.

Consult LC's Cooperative Programs Section before using subfield \$0 or \$1.

Do not use subfields:

\$6, \$8

SACO:

Do not use **this field**.

LC:

NAMES/SERIES:

Field 380 may be supplied in name/series authority records in the LC/NACO Authority File.

Consult LC's Policy and Standards Division before using subfield \$0 or \$1.

Do not use subfields:

\$6, \$8

SUBJECTS:

Do not use **this field**.

381 Other Distinguishing Characteristics of Work or Expression

NACO:

Field 381 may be supplied in name/series authority records in the LC/NACO Authority File.

Consult LC's Cooperative Programs Section before using subfield \$0 or \$1.

Do not use subfields:

\$6, \$8

SACO:

Do not use **this field**.

LC:

NAMES/SERIES:

Field 381 may be supplied in name/series authority records in the LC/NACO Authority File.

Consult LC's Cooperative Programs Section before using subfield \$0 or \$1.

Do not use subfields:

\$6, \$8

SUBJECTS:

Do not use **this field**.

382 Medium of Performance

NACO:

Field 382 may be supplied in name/series authority records in the LC/NACO Authority File.

Consult LC's Cooperative Programs Section before using subfield \$0, \$1, \$e, \$r or \$t.

Do not use subfields:
\$6, \$8

SACO:

Do not use this field.

LC:

NAMES/SERIES:

Field 382 may be supplied in name authority records in the LC/NACO Authority File.

Consult LC's Policy and Standards Division before using subfield \$0, \$1, \$e, \$r or \$t.

Do not use subfields:
\$6, \$8

SUBJECTS:

Do not use this field.

385 Audience Characteristics

NACO:

Field 385 may be supplied in name/series authority records in the LC/NACO Authority File.

Consult LC's Cooperative Programs Section before using subfield \$0 or \$1.

Do not use subfields:

\$6, \$8

SACO:

Do not use **this field**.

LC:

NAMES/SERIES:

Field 385 may be supplied in name/series authority records in the LC/NACO Authority File.

Consult LC's Cooperative Programs Section before using subfield \$0 or \$1.

Do not use subfields:

\$6, \$8

SUBJECTS:

Do not use **this field**.

386 Creator/Contributor Characteristics

NACO:

Field 386 may be supplied in name/series authority records in the LC/NACO Authority File.

Consult LC's Cooperative Programs Section before using subfield \$0, \$1, \$4 or \$i.

Do not use subfields:

\$6, \$8

SACO:

Do not use this field.

LC:

NAMES/SERIES:

Field 386 may be supplied in name authority records in the LC/NACO Authority File.

Consult LC's Policy and Standards Division before using subfield \$0, \$1, \$4 or \$i.

Do not use subfields:

\$6, \$8

SUBJECTS:

Do not use this field.

388 Time Period of Creation

NACO:

Consult LC's Cooperative Programs Section before using field 388.

SACO:

Do not use this field.

LC:

NAMES/SERIES:

Consult LC's Policy and Standards Division before using field 388.

SUBJECTS:

Do not use this field.

400 See From Tracing – Personal Name

NACO:

Use first indicator value 3 in RDA name and series authority records when providing variant forms of family names.

Consult LC's Cooperative Programs Section before using subfield \$h.

Do not use subfields:

\$e, \$i, \$j, \$v, \$x, \$y, \$z, \$4, \$5, \$6, \$8

NACO usage for subfield \$w is given in the LC Guidelines sections for *Tracings and References-General Information-4XX fields*.

SACO:

Do not use subfields:

\$e, \$g, \$h, \$i, \$j, \$5, \$6, \$8

SACO usage for subfield \$w is given in the LC Guidelines section for *Tracings and References-General Information-4XX fields*.

LC:

NAMES/SERIES:

Use first indicator value 3 in RDA name authority records when providing variant forms of family names.

Consult LC's Policy and Standards Division before using subfield \$h.

Do not use subfields:

\$e, \$i, \$j, \$v, \$x, \$y, \$z, \$4, \$5, \$6, \$8

Usage for subfield \$w is given in the LC Guidelines section for *Tracings and References-General Information-4XX fields*.

SUBJECTS:

Do not use subfields:

\$e, \$g, \$h, \$i, \$j, \$4, \$5, \$6, \$8

Usage for subfield \$w is given in the LC Guidelines section for *Tracings and References-General Information-4XX fields*.

410 See From Tracing – Corporate Name

NACO

Consult LC's Cooperative Programs Section before using subfield \$h.

Do not use subfields:

\$e, \$i, \$v, \$x, \$y, \$z, \$4, \$5, \$6, \$8

NACO usage for subfield \$w is given in the LC Guidelines sections for *Tracings and References*.

SACO:

Do not use subfields:

\$e, \$h, \$i, \$4, \$5, \$6, \$8

SACO usage for subfield \$w is given in the LC Guidelines section for *Tracings and References-General Information-4XX fields*.

LC:

NAMES/SERIES:

Consult LC's Policy and Standards Division before using subfield \$h.

Do not use subfields:

\$e, \$i, \$v, \$x, \$y, \$z, \$4, \$5, \$6, \$8

NACO usage for subfield \$w is given in the LC Guidelines sections for *Tracings and References*.

SUBJECTS:

Do not use subfields:

\$e, \$h, \$i, \$4, \$5, \$6, \$8

Usage for subfield \$w is given in the LC Guidelines section for *Tracings and References-General Information-4XX fields*.

411 See From Tracing – Meeting Name

NACO:

Consult LC's Cooperative Programs Section before using subfield \$h.

Do not use subfields:

\$g, \$i, \$j, \$v, \$x, \$y, \$z, \$4, \$5, \$6, \$8

NACO usage for subfield \$w is given in the LC Guidelines sections for *Tracings and References-General Information-4XX fields*.

SACO:

Do not use subfields:

\$g, \$h, \$i, \$j, \$k, \$l, \$q, \$s, \$4, \$5, \$6, \$8

SACO usage for subfield \$w is given in the LC Guidelines section for *Tracings and References-General Information-4XX fields*.

LC:

NAMES/SERIES:

Consult LC's Policy and Standards Division before using subfield \$h.

Do not use subfields:

\$g, \$i, \$j, \$v, \$x, \$y, \$z, \$4, \$5, \$6, \$8

Usage for subfield \$w is given in the LC Guidelines sections for *Tracings and References-General Information-4XX fields*.

SUBJECTS:

Do not use subfields:

\$g, \$h, \$i, \$j, \$k, \$l, \$q, \$s, \$4, \$5, \$6, \$8

Usage for subfield \$w is given in the LC Guidelines section for *Tracings and References-General Information-4XX fields*.

430 See From Tracing – Uniform Title

NACO:

Always use second indicator value 0. Omit an initial article that is not an integral part of the uniform title when formulating the entry element of the reference.

Consult LC's Cooperative Programs Section before using subfield \$h.

Do not use subfields:

\$i, \$v, \$x, \$y, \$z, \$4, \$5, \$6, \$8

NACO usage for subfield \$w is given in the LC Guidelines sections for *Tracings and References-General Information-4XX fields*.

SACO:

Always use second indicator value 0. Omit an initial article that is not an integral part of the uniform title when formulating the entry element of the reference.

Do not use subfields:

\$g, \$h, \$i, \$4, \$5, \$6, \$8

SACO usage for subfield \$w is given in the LC Guidelines section for *Tracings and References-General Information-4XX fields*.

LC:

NAMES/SERIES:

Always use second indicator value 0. Omit an initial article that is not an integral part of the uniform title when formulating the entry element of the reference.

Consult LC's Policy and Standards Division before using subfield \$h.

Do not use subfields:

\$i, \$v, \$x, \$y, \$z, \$4, \$5, \$6, \$8

NACO usage for subfield \$w is given in the LC Guidelines sections for *Tracings and References-General Information-4XX fields*.

SUBJECTS:

Always use second indicator value 0. Omit an initial article that is not an integral part of the uniform title when formulating the entry element of the reference.

Do not use subfields:

\$g, \$h, \$i, \$4, \$5, \$6, \$8

Usage for subfield \$w is given in the LC Guidelines section for *Tracings and References-General Information-4XX fields*.

447 See From Tracing – Named Event

NACO:

| Do not use this field.

SACO:

Do not use this field.

LC:

NAMES/SERIES:

| Do not use this field.

SUBJECTS:

Do not use this field.

451 See From Tracing – Geographic Name

NACO:

Do not use subfields:

\$g, \$i, \$v, \$x, \$y, \$z, \$4, \$5, \$6, \$8

NACO usage for subfield \$w is given in the LC Guidelines sections for *Tracings and References-General Information-4XX fields*.

SACO:

Do not use subfields:

\$g, \$i, \$4, \$5, \$6, \$8

SACO usage for subfield \$w is given in the LC Guidelines section for *Tracings and References-General Information-4XX fields*.

LC:

NAMES/SERIES:

Do not use subfields:

\$g, \$i, \$v, \$x, \$y, \$z, \$4, \$5, \$6, \$8

Usage for subfield \$w is given in the LC Guidelines sections for *Tracings and References-General Information-4XX fields*.

SUBJECTS:

Do not use subfields:

\$g, \$i, \$4, \$5, \$6, \$8

Usage for subfield \$w is given in the LC Guidelines section for *Tracings and References-General Information-4XX fields*.

500 See Also From Tracing – Personal Name

NACO:

Use first indicator value 3 in RDA name and series authority records when providing relationship links to and from family names.

Consult LC's Cooperative Programs Section before using subfield \$0, \$1, or \$h.

Do not use subfields:

\$e, \$j, \$v, \$x, \$y, \$z, \$4, \$5, \$6, \$8

NACO usage for subfield \$w is given in the LC Guidelines section for *Tracings and References-General Information-5XX fields*.

SACO:

Do not use subfields:

\$e, \$g, \$h, \$i, \$j, \$0, \$4, \$5, \$6, \$8

SACO usage for subfield \$w is given in the LC Guidelines section for *Tracings and References-General Information-5XX fields*.

LC:

NAMES/SERIES:

Use first indicator value 3 in RDA name authority records when providing relationship links to and from family names.

Consult LC's Policy and Standards Division before using subfield \$0, \$1, or \$h.

Do not use subfields:

\$e, \$j, \$v, \$x, \$y, \$z, \$4, \$5, \$6, \$8

Usage for subfield \$w is given in the LC Guidelines section for *Tracings and References-General Information-5XX fields*.

SUBJECTS:

Do not use subfields:

\$e, \$g, \$h, \$i, \$j, \$0, \$4, \$5, \$6, \$8

Usage for subfield \$w is given in the LC Guidelines section for *Tracings and References-General Information-5XX fields*.

510 See Also From Tracing – Corporate Name

NACO:

Consult LC's Cooperative Programs Section before using subfield \$0, \$1 or \$h.

Do not use subfields:

\$e, \$v, \$x, \$y, \$z, \$4, \$5, \$6, \$8

NACO usage for subfield \$w is given in the LC Guidelines section for *Tracings and References-General Information-5XX fields*.

SACO:

Do not use subfields:

\$e, \$h, \$i, \$0, \$1, \$5, \$6, \$8

SACO usage for subfield \$w is given in the LC Guidelines section for *Tracings and References-General Information-5XX fields*.

LC:

NAMES/SERIES:

Consult LC's Cooperative Programs Section before using subfield \$0, \$1 or \$h.

Do not use subfields:

\$e, \$v, \$x, \$y, \$z, \$4, \$5, \$6, \$8

Usage for subfield \$w is given in the LC Guidelines section for *Tracings and References-General Information-5XX fields*.

SUBJECTS:

Do not use subfields:

\$e, \$h, \$i, \$0, \$1, \$5, \$6, \$8

Usage for subfield \$w is given in the LC Guidelines section for *Tracings and References-General Information-5XX fields*.

511 See Also From Tracing – Meeting Name

NACO:

Consult LC's Cooperative Programs Section before using subfield \$0, \$1 or \$h.

Do not use subfields:

\$j, \$v, \$x, \$y, \$z, \$4, \$5, \$6, \$8

NACO usage for subfield \$w is given in the LC Guidelines section for *Tracings and References-General Information-5XX fields*.

SACO:

Do not use subfields:

\$g, \$h, \$i, \$j, \$k, \$l, \$q, \$s, \$0, \$1, \$4, \$5, \$6, \$8

SACO usage for subfield \$w is given in the LC Guidelines section for *Tracings and References-General Information-5XX fields*.

LC:

NAMES/SERIES:

Consult LC's Policy and Standards Division before using subfield \$0, \$1 or \$h.

Do not use subfields:

\$j, \$v, \$x, \$y, \$z, \$4, \$5, \$6, \$8

Usage for subfield \$w is given in the LC Guidelines section for *Tracings and References-General Information-5XX fields*.

SUBJECTS:

Do not use subfields:

\$g, \$h, \$i, \$j, \$k, \$l, \$q, \$s, \$0, \$1, \$4, \$5, \$6, \$8

Usage for subfield \$w is given in the LC Guidelines section for *Tracings and References-General Information-5XX fields*.

530 See Also From Tracing – Uniform Title

NACO:

Always use second indicator value 0. Omit an initial article that is not an integral part of the uniform title when formulating the entry element of the reference.

Consult LC's Cooperative Programs Section before using subfield \$0, \$1 or \$h.

Do not use subfields:

\$g, \$v, \$x, \$y, \$z, \$4, \$5, \$6, \$8

NACO usage for subfield \$w is given in the LC Guidelines section for *Tracings and References-General Information-5XX fields*.

SACO:

Always use second indicator value 0. Omit an initial article that is not an integral part of the uniform title when formulating the entry element of the reference.

Do not use subfields:

\$g, \$h, \$i, \$0, \$1, \$4, \$5, \$6, \$8

SACO usage for subfield \$w is given in the LC Guidelines section for *Tracings and References-General Information-5XX fields*.

LC:

NAMES/SERIES:

Always use second indicator value 0. Omit an initial article that is not an integral part of the uniform title when formulating the entry element of the reference.

Consult LC's Policy and Standards Division before using subfield \$0, \$1 or \$h.

Do not use subfields:

\$g, \$v, \$x, \$y, \$z, \$4, \$5, \$6, \$8

Usage for subfield \$w is given in the LC Guidelines section for *Tracings and References-General Information-5XX fields*.

SUBJECTS:

Always use second indicator value 0. Omit an initial article that is not an integral part of the uniform title when formulating the entry element of the reference.

Do not use subfields:

\$g, \$h, \$i, \$0, \$1, \$4, \$5, \$6, \$8

Usage for subfield \$w is given in the LC Guidelines section for *Tracings and References-General Information-5XX fields*.

547 See Also From Tracing – Named Event

NACO:

| Do not use this field.

SACO:

Do not use this field.

LC:

NAMES/SERIES:

| Do not use this field.

SUBJECTS:

Do not use this field.

550 See Also From Tracing – Topical Term

NACO:

Do not use this field.

SACO:

Do not use subfields:

\$b, \$g, \$i, \$0, \$1, \$4, \$5, \$6, \$8

SACO usage for subfield \$w is given in the LC Guidelines section for *Tracings and References-General Information-5XX fields*.

LC:

NAMES/SERIES:

Do not use this field.

SUBJECTS:

Do not use subfields:

\$b, \$g, \$i, \$0, \$1, \$4, \$5, \$6, \$8

Usage for subfield \$w is given in the LC Guidelines section for *Tracings and References-General Information-5XX fields*.

Local Subfield Code

\$9 - Local field-level nonprint flag [*SUBJECTS only*]

Use local subfield \$9 to control the printing of the field in output products.

551 See Also From Tracing – Geographic Name

NACO:

Consult LC's Cooperative Programs Section before using subfield \$0 or \$1.

Do not use subfields:

\$g, \$v, \$x, \$y, \$z, \$4, \$5, \$6, \$8

NACO usage for subfield \$w is given in the LC Guidelines section for *Tracings and References-General Information-5XX fields*.

SACO:

Do not use subfields:

\$g, \$i, \$0, \$1, \$4, \$5, \$6, \$8

SACO usage for subfield \$w is given in the LC Guidelines section for *Tracings and References-General Information-5XX fields*.

LC:

NAMES/SERIES:

Consult LC's Policy and Standards Division before using subfield \$0 or \$1.

Do not use subfields:

\$g, \$v, \$x, \$y, \$z, \$4, \$5, \$6, \$8

Usage for subfield \$w is given in the LC Guidelines section for *Tracings and References-General Information-5XX fields*.

SUBJECTS:

Do not use subfields:

\$g, \$i, \$0, \$1, \$4, \$5, \$6, \$8

Usage for subfield \$w is given in the LC Guidelines section for *Tracings and References-General Information-5XX fields*.

555 See Also From Tracing – Genre/Form Term

NACO:

Do not use this field.

SACO:

Do not use subfields:

\$i, \$v, \$x, \$y, \$z, \$0, \$1, \$4, \$5, \$6, \$8

SACO usage for subfield \$w is given in the LC Guidelines section for *Tracings and References-General Information-5XX fields*.

LC:

NAMES/SERIES:

Do not use this field.

SUBJECTS:

Do not use subfields:

\$i, \$v, \$x, \$y, \$z, \$0, \$1, \$4, \$5, \$6, \$8

Usage for subfield \$w is given in the LC Guidelines section for *Tracings and References-General Information-5XX fields*.

Local Subfield Code

\$9 - Local field-level nonprint flag [*SUBJECTS only*]

Use local subfield \$9 to control the printing of the field in output products.

562 See Also From Tracing – Medium of Performance Term

NACO:

Do not use this field.

SACO:

Do not use subfields:

\$i, \$0, \$1, \$4, \$5, \$6, \$8

SACO usage for subfield \$w is given in the LC Guidelines section for *Tracings and References-General Information-5XX fields*.

LC:

NAMES/SERIES:

Do not use this field.

SUBJECTS:

Do not use subfields:

\$i, \$0, \$1, \$4, \$5, \$6, \$8

Usage for subfield \$w is given in the LC Guidelines section for *Tracings and References-General Information-5XX fields*.

580 See Also From Tracing – General Subdivision

NACO:

Do not use this field.

SACO:

Do not use subfields:

\$i, \$0, \$1, \$4, \$5, \$6, \$8

SACO usage for subfield \$w is given in the LC Guidelines section for *Tracings and References-General Information-5XX fields*.

LC:

NAMES/SERIES:

Do not use this field.

SUBJECTS:

Do not use subfields:

\$i, \$0, \$1, \$4, \$5, \$6, \$8

Usage for subfield \$w is given in the LC Guidelines section for *Tracings and References-General Information-5XX fields*.

Local Subfield Code

\$9 - Local field-level nonprint flag [*SUBJECT only*]

Use local subfield \$9 to control the printing of the field in output products.

581 See Also From Tracing – Geographic Subdivision

NACO:

Do not use this field.

SACO:

Do not use subfields:

\$i, \$0, \$1, \$4, \$5, \$6, \$8

SACO usage for subfield \$w is given in the LC Guidelines section for *Tracings and References-General Information-5XX fields*.

LC:

NAMES/SERIES:

Do not use this field.

SUBJECTS:

Do not use subfields:

\$i, \$0, \$1, \$4, \$5, \$6, \$8

Usage for subfield \$w is given in the LC Guidelines section for *Tracings and References-General Information-5XX fields*.

Local Subfield Code

\$9 - Local field-level nonprint flag [*SUBJECT only*]

Use local subfield \$9 to control the printing of the field in output products.

582 See Also From Tracing – Chronological Subdivision

NACO:

Do not use this field.

SACO:

Do not use subfields:

\$i, \$0, \$1, \$4, \$5, \$6, \$8

SACO usage for subfield \$w is given in the LC Guidelines section for *Tracings and References-General Information-5XX fields*.

LC:

NAMES/SERIES:

Do not use this field.

SUBJECTS:

Do not use subfields:

\$i, \$0, \$1, \$4, \$5, \$6, \$8

Usage for subfield \$w is given in the LC Guidelines section for *Tracings and References-General Information-5XX fields*.

Local Subfield Code

\$9 - Local field-level nonprint flag [*SUBJECT only*]

Use local subfield \$9 to control the printing of the field in output products.

585 See Also From Tracing – Form Subdivision

NACO:

Do not use this field.

SACO:

Do not use subfields:

\$i, \$0, \$1, \$4, \$5, \$6, \$8

SACO usage for subfield \$w is given in the LC Guidelines section for *Tracings and References-General Information-5XX fields*.

LC:

NAMES/SERIES:

Do not use this field.

SUBJECTS:

Do not use subfields:

\$i, \$0, \$1, \$4, \$5, \$6, \$8

Usage for subfield \$w is given in the LC Guidelines section for *Tracings and References-General Information-5XX fields*.

Local Subfield Code

\$9 - Local field-level nonprint flag [*SUBJECT only*]

Use local subfield \$9 to control the printing of the field in output products.

670 Source Data Found

NACO:

Consult LC's Cooperative Programs Section before using subfield \$w.

Do not use subfields:
\$6, \$8

SACO:

Consult LC's Cooperative Programs Section before using subfield \$w.

Do not use subfields:
\$6, \$8

LC:

NAMES/SERIES:

Consult LC's Policy and Standards Division before using subfield \$w.

Do not use subfields:
\$6, \$8

SUBJECTS:

Consult LC's Policy and Standards Division before using subfield \$w.

Do not use subfields:
\$6, \$8

672 Title Related to the Entity

NACO:

Field 672 may be supplied in name authority records in the LC/NACO Authority File.

Consult LC's Cooperative Programs Section before using subfield \$1.

Do not use subfields:

\$6, \$8

SACO:

Do not use **this field**.

LC:

NAMES/SERIES:

Field 672 may be supplied in name authority records in the LC/NACO Authority File.

Consult LC's Policy and Standards Division before using subfield \$1.

Do not use subfields:

\$6, \$8

SUBJECTS:

Do not use **this field**.

673 Title Not Related to the Entity

NACO:

Field 673 may be supplied in name authority records in the LC/NACO Authority File.

Consult LC's Cooperative Programs Section before using subfield \$1.

Do not use subfields:

\$6, \$8

SACO:

Do not use **this field**.

LC:

NAMES/SERIES:

Field 673 may be supplied in name authority records in the LC/NACO Authority File.

Consult LC's Policy and Standards Division before using subfield \$1.

Do not use subfields:

\$6, \$8

SUBJECTS:

Do not use **this field**.

677 Definition

NACO:

| Do not use this field.

SACO:

Do not use this field.

LC:

NAMES/SERIES:

| Do not use this field.

SUBJECTS:

Do not use this field.

700 Established Heading Linking Entry – Personal Name

NACO:

Field 700 may be supplied only by national bibliographic agencies in name/series authority records in consultation with LC's Cooperative **Programs Section**. Other NACO participants should not supply, update, or delete this field when found in name/series authority records.

Consult LC's Cooperative Programs Section before using subfield \$1, \$4 or \$i.

Do not use subfields:

\$v, \$x, \$y, \$z, \$6, \$8

SACO:

Do not use this field.

LC:

NAMES/SERIES:

Do not use this field.

LC does not maintain this field.

SUBJECTS:

Do not use this field.

710 Established Heading Linking Entry – Corporate Name

NACO:

Field 710 may be supplied only by national bibliographic agencies in name/series authority records in consultation with LC's Cooperative **Programs Section**. Other NACO participants should not supply, update, or delete this field when found in name/series authority records.

Consult LC's Cooperative Programs Section before using subfield \$1, \$4 or \$i.

Do not use subfields:

\$v, \$x, \$y, \$z, \$6, \$8

SACO:

Do not use this field.

LC:

NAMES/SERIES:

Do not use this field.

LC does not maintain this field.

SUBJECTS:

Do not use this field.

711 Established Heading Linking Entry – Meeting Name

NACO:

Field 711 may be supplied only by national bibliographic agencies in name/series authority records in consultation with LC's Cooperative Programs Section. Other NACO participants should not supply, update, or delete this field when found in name/series authority records.

Consult LC's Cooperative Programs Section before using subfield \$1, \$4 or \$i.

Do not use subfields:

\$v, \$x, \$y, \$z, \$6, \$8

SACO:

Do not use this field.

LC:

NAMES/SERIES:

Do not use this field.

LC does not maintain this field.

SUBJECTS:

Do not use this field.

730 Established Heading Linking Entry – Uniform Title

NACO:

Field 730 may be supplied only by national bibliographic agencies in name/series authority records in consultation with LC's Cooperative **Programs Section**. Other NACO participants should not supply, update, or delete this field when found in name/series authority records.

Consult LC's Cooperative Programs Section before using subfield \$1, \$4 or \$i.

Do not use subfields:

\$v, \$x, \$y, \$z, \$6, \$8

SACO:

Do not use this field.

LC:

NAMES/SERIES:

Do not use this field.

LC does not maintain this field.

SUBJECTS:

Do not use this field.

747 Established Heading Linking Entry – Named Event

NACO:

Consult LC's Cooperative Programs Section before using this field.

Do not use subfields:
\$6, \$8

SACO:

Do not use this field.

LC:

NAMES/SERIES:

Do not use this field.

LC does not maintain this field.

SUBJECTS:

Do not use this field.

751 Established Heading Linking Entry – Geographic Name

NACO:

Field 751 may be supplied only by national bibliographic agencies in name authority records in consultation with LC's Cooperative **Programs Section**. Other NACO participants should not supply, update, or delete this field when found in name authority records.

Consult LC's Cooperative Programs Section before using subfield \$1, \$4, \$g or \$i.

Do not use subfields:

\$v, \$x, \$y, \$z, \$6, \$8

SACO:

Do not use this field.

LC:

NAMES/SERIES:

Do not use this field.

LC does not maintain this field.

SUBJECTS:

Do not use this field.

781 Subdivision Heading Linking Entry – Geographic Subdivision

NACO:

NACO participants may provide a 781 field in a name authority record for a geographic heading (151) that may also be used as a geographic subdivision. Always use second indicator value 0.

Consult LC's Cooperative Programs Section before using subfield \$1, \$4 or \$i.

Do not use subfields:

\$v, \$w, \$x, \$y, \$0, \$2, \$5, \$6, \$8

SACO:

SACO participants should provide a 781 field in a subject authority record for a geographic heading (151) that may also be used as a geographic subdivision. Always use second indicator value 0.

Do not use subfields:

\$i, \$v, \$w, \$x, \$y, \$0, \$1, \$2, \$4, \$5, \$6, \$8

LC:

NAMES/SERIES:

LC catalogers may provide a 781 field in a name authority record for a geographic heading (151) that may also be used as a geographic subdivision. Always use second indicator value 0.

Consult LC's Policy and Standards Division before using subfield \$1, \$4 or \$i.

Do not use subfields:

\$v, \$w, \$x, \$y, \$0, \$2, \$5, \$6, \$8

SUBJECTS:

LC catalogers should provide a 781 field in a subject authority record for a geographic heading (151) that may also be used as a geographic subdivision. Always use second indicator value 0.

Do not use subfields:

\$i, \$v, \$w, \$x, \$y, \$0, \$1, \$2, \$4, \$5, \$6, \$8

Local Subfield Code

\$9 - Local field-level nonprint flag [*SUBJECTS only*]

Use local subfield \$9 to control the printing of the field in output products.

883 Machine-generated Metadata Provenance

NACO:

| Do not use this field.

SACO:

| Do not use this field.

LC:

NAMES/SERIES:

| Do not use this field.

SUBJECTS:

| Do not use this field.

884 Description Conversion Information

NACO:

Consult LC's Cooperative Programs Section before using field 884.

SACO:

Do not use this field.

LC:

NAMES/SERIES:

Consult LC's Policy and Standards Division before using field 884.

SUBJECTS:

Do not use this field.

885 Matching Information

NACO:

| Do not use this field.

SACO:

| Do not use this field.

LC:

NAMES/SERIES:

| Do not use this field.

SUBJECTS:

| Do not use this field.